



US 20050216434A1

(19) **United States**

(12) **Patent Application Publication**
Haveliwala et al.

(10) **Pub. No.: US 2005/0216434 A1**

(43) **Pub. Date: Sep. 29, 2005**

(54) **VARIABLE PERSONALIZATION OF SEARCH RESULTS IN A SEARCH ENGINE**

Publication Classification

(76) Inventors: **Taher H. Haveliwala**, Mountain View, CA (US); **Glen M. Jeh**, San Francisco, CA (US); **Sepandar D. Kamvar**, San Francisco, CA (US)

(51) **Int. Cl.⁷** G06F 7/00

(52) **U.S. Cl.** 707/1

(57) **ABSTRACT**

Correspondence Address:
FENWICK & WEST LLP
SILICON VALLEY CENTER
801 CALIFORNIA STREET
MOUNTAIN VIEW, CA 94041 (US)


A search engine provides personalized rankings of search results. A user interest profile identifies topics of interest to a user. Each topic is associated with one or more sites, and a boost value, which can be used to augment an information retrieval score of any document from the site. Search results from any search are provided to the user, with a variable control of the ranking of the results. The results can be ranked by their unboosted information retrieval score, thus reflecting no personalization, or by their fully or partially boosted information retrieval scores. This allows the user to selectively control how their interests affect the ranking of the documents.

(21) Appl. No.: **11/002,474**

(22) Filed: **Dec. 1, 2004**

Related U.S. Application Data

(60) Provisional application No. 60/557,783, filed on Mar. 29, 2004.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

VARIABLE PERSONALIZATION OF SEARCH RESULTS IN A SEARCH ENGINE

CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application claims the benefit under 35 U.S.C. §119(e) of Application Ser. No. 60/557,783 filed on Mar. 29, 2004, which is incorporated by reference herein. This application also incorporates by reference U.S. patent application Ser. Nos. 10/646,331 (filed on Aug. 22, 2003) and 10/641,489 (filed on Aug. 14, 2003); all of the above applications are commonly owned along with this application.

FIELD OF INVENTION

[0002] This invention relates in general to online search engines, and in particular to personalization of search results.

BACKGROUND OF INVENTION

[0003] The current state of the art in online search engines is highly advanced in its ability to retrieve documents (e.g., web pages or portions thereof, images, etc.) that are responsive to the terms of a query. Search engines today can quickly retrieve specific documents that match the terms of the query. However, current search engines often return documents that while accurately correspond to the specific terms of the query, do not in any way reflect the user's underlying interests. Thus, two different users, one who is very interested in sports, and another who is interested in politics, will obtain exactly the same results to a given query, say "drug testing in baseball," even though the first user may be more interested in learning about which teams have implemented drug testing, while the latter user is more interested in learning about legislation related to drug testing in sports. Thus, there is a need for providing a mechanism and methodology for personalizing search results in accordance with the interests of the users.

[0004] Further, while a user may have particular set of interests that may be useful in processing their search query, a user may not want to always have such interests influence the query results. Thus, it would be desirable to a provide a mechanism and a methodology by which the user can variably adjust the degree to which his interests influence the results of a given search query.

SUMMARY OF THE INVENTION

[0005] The present invention provides allows a user to variably adjust the degree to which his or her personal interests influence the presentation of results of a given search query. The present invention has multiple embodiments, including a system for providing a search engine, a methodology for processing a search query, and a user interface for the user to variably adjust the degree of influence.

[0006] For a user's perspective, the present invention provides a mechanism for personalizing search results. The user defines a set of interests, for example as a set of topics or categories of interest to the user, as an interests profile. The user then submits a search query to a search engine. The search engine retrieves documents that are relevant to the query and presents these as search results. At first (though not necessarily) the search results are ranked without regard

to the user's interests. This enables the user to see the relevance of the documents without influence by his personal interests. The user can variably control ranking of the documents in the search result set. In a preferred embodiment, this is done by direct manipulation of graphical control element, a personalization control. This graphical element can have various graphical representations, and in one embodiment it is represented as a slider. Adjusting the control element adjusts the degree to which the results are ranked according to the user's interests, as expressed in his interest profile. In response to changes in the position of the control element, the search results are reranked, thereby allowing the user to see how his interests affect the ordering of the results.

[0007] In one embodiment, the ranking of search results operates to increase the relevance score of documents that are associated with the directory of topics. Each topic in the directory is associated with a group of documents (e.g., websites) which are deemed relevant to the topic. For each document (again, website), a boost value is provided which indicates the degree of relevance of the site to the topic. All pages within a given site get that site's boost value. The boost value may be understood as a scaling factor that represents the relevance of the site to the topic. During the query processing, the set of documents is returned, and scored without regard to their inclusion in the topic directory. In addition, a separate score for each document is determined in which the document's underlying relevance score is adjusted by its associated boost value if any, for example by multiplying the relevance score by the boost value, thereby scaling the relevance of the document to the query. Generally, only those documents which belong to sites listed in the directory will have a boosted relevance score, and other documents in the search results will not. The reranking of the documents in accordance with their boosted relevance scores is then a function of the position of the personalization control, either from no influence (where the boost value has no effect on the relevance score) to complete influence, wherein boost value for each document is applied 100% to the relevance score, and any number of intermediate levels of application. The user can thus immediately rerank the documents in the search results by adjusting the position of the control.

[0008] A system embodiment includes a topic directory for providing topics (categories) to a user, a search engine and index for searching indexed websites in response to a user's query, and a personalization component for determining for the search results at least one (and preferably a set) of rankings of the search results in accordance with the user's interests. A user interface embodiment includes a topical directory, with various topics, and graphical controls (e.g., checkboxes) in which the user can select topics of interests, and a graphical control that allows the user to adjust the search result ranking in accordance with his interest profile.

[0009] The present invention is next described with respect to various figures and diagrams and technical information. The figures depict various embodiments of the present invention for purposes of illustration only. One skilled in the art will readily recognize from the following discussion that alternative embodiments of the illustrated

and described structures, methods, and functions may be employed without departing from the principles of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

- [0010] FIG. 1 is an entry web page for a search engine.
- [0011] FIG. 2 is web page for editing a user's personal profile of topics.
- [0012] FIG. 3 is another web page of topics, and subtopics.
- [0013] FIG. 4 is another web page of subtopics.
- [0014] FIG. 5 shows the entry web page for the search engine with the query "stanford".
- [0015] FIG. 6 shows the initial results of the search on query "stanford", along with a control 608 for controlling a degree of influence of the user's interest profile in ranking the search results.
- [0016] FIG. 7 shows the ranking of the search results of FIG. 6 after the user has adjusted the control 608 to an intermediate position.
- [0017] FIG. 8 shows the ranking of the search results of FIG. 6 after the user has adjusted the control 608 to a maximum position.
- [0018] FIG. 9 shows a web page of topics after deletion of a "Computer" topic and selection of a "Music" topic by the user.
- [0019] FIG. 10 shows the ranking of the search results of FIG. 6 following the change in topic interests in FIG. 9.

DETAILED DESCRIPTION

[0020] Referring now to FIG. 1 there is shown the entry (or landing page) 100 of a search engine. The search engine includes a query entry field 102 in which a user enters the terms of a search query. A search button 106 submits the query to the search engine for processing. The first time the user accesses the search engine, he will not have defined a user profile for personalizing the search results, and a message is displayed to that effect. The user can access the Edit Profile link 104 in order to establish their personal interests.

[0021] Clicking on the Edit Profile link 104 accesses the page 200 illustrated in FIG. 2. This page shows the top level topics 204 of a topical directory 202. The topics in the directory can be, for example, the topics defined in the Open Directory Project, found at <http://dmoz.org/> or can be some other topical directory. (In this disclosure the term "topic" and "category" are interchangeable, as are "subtopic" and "subcategory".) The top level topic links may have a set of subtopics, as indicated by the arrows 206. At any time, the user can begin a search by clicking on the Start Searching button 208. Clicking on a particular top level topic takes the user to a page associated with that topic's subtopics.

[0022] FIG. 3 illustrates the result of this step, where the user has clicked on the topic "Computers" on page 200. As shown in FIG. 3, the subtopics 302 of the topic "Computers" have been displayed in the right hand column. Next to each subtopic 302 is a checkbox 314. The user can select the checkbox 314 to indicate his interest in a specific subtopic.

Alternatively, the user can select the checkbox 316 for the entire subtopic itself, "Computers (General)". This indicates that the user is interested in all of the subtopics of the topic "Computers". The set of topics selected by the user may be called a user profile, a personalization profile, or an interest profile. On the left side of FIG. 3, after the user has selected one or more topics of interest, these topics are listed in the interests field 306. Next to each topic name is a delete link 308 that allows the user to delete individual topics. The user can also delete all topics by selecting the "Delete all preferences" link 310.

[0023] The subtopics themselves can have any number of additional levels of subtopics. For example, FIG. 4 illustrates that the subtopic "Games" has further subtopics 402, "Board Games," "Card Games," etc. These were presented to the user in response to the user clicking on the subtopic arrow 206 next to the "Games" topic label. Again, the user can select either the entire subcategory by selecting checkbox 404, or any of the individual subtopic checkboxes 406. In one embodiment, in addition to the top level topics 204, there are two subtopic levels. This provides sufficient breadth and granularity of topical coverage, without imposing unnecessary computational complexity.

[0024] Referring again to FIG. 3, the user has indicated his interest in computers generally. Clicking on the Start Searching button 208 brings up search page 100 again, which no longer shows the message requesting the user to establish a personalization profile. At this point, the user enters a search query in the search field, here the query "stanford", as shown in FIG. 5. The search engine performs a search of its index and provides the search results. FIG. 6 illustrates the initial search results page 600. Here the search results 602 comprise a set of documents 604, each document indicated by a URL 617, along with a link 615 to the page, and a snippet 619 of the page text to show a portion of the context to the document to the user. Near the top of the page is the personalization control 608. In the context of this application, "documents" are understood to be any type of media that can be indexed and retrieved by a search engine, including web pages, images, multimedia files, text documents, PDFs, and so forth. No limitation as to the scope of the invention is implied by the use of the generic term "documents."

[0025] The personalization control 608 allows the user to adjust the ranking of the individual documents/pages of the search results with respect to his interests, preferably as expressed in the personalization profile. The personalization control may be explained as controlling a degree of influence or contribution of the user's interest profile to the ranking of the search results. FIG. 6 illustrates the control 608 in an embodiment where it is a slider type control that includes a control handle 610 that is moved along a linear dimension between a minimum value 612 to a maximum value 614. This type of control 608 is generally very intuitive and easy for users to understand how it operates. Alternative embodiments include dial type controls, similarly providing a variable adjustment between a minimum and maximum value, and radio buttons each with an associated predetermined adjustment amount (e.g., five radio buttons, associated respectively with 0%, 20%, 40%, 80%, and 100%). Those of skill in the art of user interface design will appreciate that other types of controls may be implemented to achieve essentially the same effect.

[0026] In the example of FIG. 6, the personalization control 608 is set all the way to its minimum value 612. The search results accordingly are ranked on their relevance to the query and query independent information such as PageRank, as disclosed in U.S. Pat. No. 6,285,999, "Method for node ranking in a linked database", which is incorporated by reference herein in its entirety and for all of its teachings. Notice that the search results are generally related to Stanford University.

[0027] Referring now to FIG. 7, there is shown the ranking of the search results 602 after the user has adjusted the slider 610 to an intermediate position about halfway between the minimum and maximum values. Now, the individual documents 604 are reranked, and those that are more related to the user's interest (previously identified as "Computers (General)") are more highly ranked. In order for the user to distinguish the documents that are more related to his interests, those documents are indicated by a personalization icon 618 next to the link text 615. Notice that with the intermediate position of the slider 610, about every other document is a personalization result, though this is not required. Notice further that the snippet 619 text has text that relates to computers (e.g., "hacking") even though that term was not included in the original search query.

[0028] Referring now to FIG. 8, there is shown the ranking of the search results 602 after the user has adjusted the slider 610 to its maximum position 614. First, in this example all of the documents 604 in the search results 602 reflect the user's personalization profile, and are annotated with the personalization icon 618. Second, the documents in the search results relate to computers and Stanford University, thereby reflecting the user's interests in computers, as it relates to the query "stanford". For example, the first two results are related to "hacking" at Stanford; the next three documents relate specifically to various computer science projects at Stanford. Thus the third document is for Stanford's Artificial Intelligence Laboratory, the fourth document is for Stanford's Center for the Study of Language and Information, and the fifth document is for Stanford's Database Group. The remaining documents are likewise related to the "Computers" interest of the user. Notice further, that what was previously the first (e.g., most relevant) result, the link to Stanford University's home page, when there was no personalization applied (FIG. 6) and when only intermediate personalization was applied (FIG. 7), no longer even appears in the top eight results.

[0029] In the examples of FIGS. 6-8 the user can dynamically adjust the ranking of the documents in real time, without the search engine having to recompute the search results. This further aids the user's ability to explore the search results.

[0030] As shown on FIGS. 6-8, an Edit Profile link 616 allows the user to edit the interests in his user profile at any time. FIG. 9 illustrates where the user has returned to the topic directory page 200 as illustrated in FIG. 2, and deleted his existing topic interest in Computers, and created a different interest in "Music". The user then again selects the Start Searching button 208. The search engine provides an updated set of search results, which documents will be the same as before, since the query term has not changed. However, as of the last search, the user has positioned the control 610 for full personalization, and hence the search

engine applies this setting and ranks the documents according to the existing (and new) personalization profile, this time for "Music." FIG. 10 illustrates the dramatic difference this makes in the search results. Here, the top six results are all related to music and arts, and none of the previous results relating to computers make the top of the search result list. This shows how the user's personalization profile can significantly alter the ranking of a given set of documents.

[0031] In one embodiment of the invention, the personalization of search results is provided by the following methodology. Those of skill in the art of search engine design can readily understand the basic structure of a search engine and its operation in which this methodology can be implemented.

[0032] 1) When the user selects topics (categories), they are added to a cookie containing a list of his interests IN (where IN is short for "interests"). The interests can be expressed as either text tokens (e.g. "computers"), or as indices into a directory, where each topic/subtopic has an index number. When the user accesses the site, the system retrieves this interest list from the cookie. Alternatively, the site can provide a user registration page, in which the user registers with a user name and password, and the user's interests are stored at the search engine site in a database, and retrieved in response to the user login.

[0033] 2) Each time the user issues a search query Q, the list IN is sent to a frontend web server.

[0034] 3) Then the frontend web server issues two requests to a backend search engine (Q, null) and (Q, IN), which returns to the frontend web server two results sets, R_base (normal) and R_in (personalized), respectively.

[0035] 4) The base query (Q, null) is the same as searching for Q on the search engine without any personalization, so R_base is the result set that the search engine would normally return in response to the query. As noted above, the search results accordingly are ranked on their relevance to the query and any other factors, such as PageRank, as disclosed in U.S. Pat. No. 6,285,999, "Method for node ranking in a linked database", which is incorporated by reference herein in its entirety and for all of its teachings.

[0036] 5) The personalized query (Q, IN) contains the user's interest list. The search engine follows a similar processing control flow as a normal query, but it activates a personalization component during the scoring function, which "boosts" documents that are relevant to the set of interests IN.

[0037] In one embodiment of the invention, these boosts are implemented using a set of maps (one map for each topic/subtopic in the directory), of the form:

[0038] {Site-->boost}

[0039] So for example, the category "Health" has a map of the form

[0040] {Site-->boost}

[0041] which contains entries such as:

[0042] nih.gov-->5.8

[0043] cdc.gov-->7.9

[0044] med.stanford.edu-->3.5

[0045] where nih.gov, cdc.gov, and med.Stanford.edu are various sites that have been determined (either manually or automatically) to be related to the topic "Health". In other words, for each topic in the directory, there is a set of sites that have been determined to be relevant to the topic, and for each of these sites, a boost value is defined.

[0046] The boost for the sites listed in the topical directory is generally determined as follows:

[0047] a) A "site graph" is generated where nodes of the graph are sites (basically, pages on the same host) and edges between nodes are weighted based on the number of pages from one site that link to pages on another. This same type of graph can be used to compute all topic boost maps.

[0048] b) For each topic in the directory, say "Health", a number of sites are selected as "start sites" **S0** whose home page is listed in the Open Directory. For example, for a university like Stanford, start sites may be selected as any site ending in .stanford.edu.

[0049] c) A computation is run in two passes:

[0050] i) first identify a set of sites **S1** that are linked-to heavily by those sites in **S0**, with each site in **S1** assigned a weight according to how heavily it's linked-to by sites in **S0**.

[0051] ii) then identify those sites **S2** that are linked-to heavily by those sites in **S1**, weighted as with **S1**.

[0052] d) The sites in **S2** are boosted with their assigned weights.

[0053] When a personalized query comes in with an interest set (e.g., {Health, Music}), then the personalization component consults the respective maps, and then for query results (i.e. documents) that are in these maps, the personalization components boosts the IR score for them, so that they would get ranked higher. The IR score is the information retrieval score that the search engine provides for each document, and can be a function of document relevance and other factors, such as PageRank.

[0054] For example if <http://www.med.stanford.edu/research/> were one of the results for query Q, and IN included "Health," then that result would get a multiplicative boost of 3.5 to its IR score, because that page is on the site med.stanford.edu. For multiple interests, the values in the corresponding maps are multiplied together for a combined effect. Further details of one implementation for determining the boost for sites in the directory boost map are described in U.S. patent application Ser. No. 10/646,331 incorporated by reference herein.

[0055] 6) The frontend web server receives **R_base** and **R_in**. **R_base** represents the results **602** the user sees when the personalization control **608** is set at 0 (or its minimum position **612**). **R_in** represents the results **602** the user sees when the slider is at its maximum position **614**, e.g. 10. In one embodiment, the control has 11 positions, but any number of positions may be used. The rankings that are shown to the user between 0 and 10 are interpolated; this means using **R_base** and **R_in**, the personalization compo-

nent constructs intermediate rankings (**R_1** . . . **R_9**) by moving each individual result along a virtual path from its position when the control **608** is at its minimum position to when the control **608** is at its maximum position.

[0056] 7) How the slider effect is provided to the user:

[0057] The frontend web server appends the results in **R_in** that are not in **R_base** to **R_base** to get a list of all unique results (either in **R_base** or **R_in**) called **R_all**. The frontend web server then assigns consecutive identification numbers to the results in **R_all** that serve as identifiers. The frontend then sends to the user's browser two items:

[0058] a) the mapping {id->result} for each of the results in **R_all**, containing for each document in the results its identification number; and

[0059] b) **N** vectors that denote the rankings the user should see, in terms of result IDs, where **N** is the number of positions of the slider, and each vector represents the ordering of the results based on the degree of personalization. In this example, there would be 11 vectors corresponding to positions **0** through **10** of the control **608**. In one embodiment Vector 0 is [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10], reflecting the un-personalized ranking of the results, assigned with the local IDs starting with **R_0**. Vector 10 is the ordering in the fully personalized results **R_in**; for instance, it might be [15, 17, 5, 0, 1, 2, 3, 4, 8, 9, 10], where documents 15 and 17, for example, are documents in the relevant map of the topic directory whose IR score was boosted according to the boost values in the map, and the value associated with the control **608**'s position. Transmitting the **N** ranking vectors to the client allows the client browser to quickly recomputed the rankings, rather than imposing that calculation on the server.

[0060] 8) Finally, Javascript code in the result page causes the user's browser to reorder the search results using the appropriate one of the 11 positional ranking vectors in response to the user changing the position of the control **608**. Further details of one embodiment of steps 6-8, above, are described in U.S. application Ser. No. 10/641,489, incorporated by reference herein.

[0061] The present invention has been described in particular detail with respect to one possible embodiment. Those of skill in the art will appreciate that the invention may be practiced in other embodiments. First, the particular naming of the components, capitalization of terms, the attributes, data structures, or any other programming or structural aspect is not mandatory or significant, and the mechanisms that implement the invention or its features may have different names, formats, or protocols. Further, the system may be implemented via a combination of hardware and software, as described, or entirely in hardware elements. Also, the particular division of functionality between the various system components described herein is merely exemplary, and not mandatory; functions performed by a single system component may instead be performed by multiple components, and functions performed by multiple components may instead be performed by a single component.

[0062] Some portions of above description present the features of the present invention in terms of algorithms and

symbolic representations of operations on information. These algorithmic descriptions and representations are the means used by those skilled in the data processing arts to most effectively convey the substance of their work to others skilled in the art. These operations, while described functionally or logically, are understood to be implemented by computer programs. Furthermore, it has also proven convenient at times, to refer to these arrangements of operations as modules or by functional names, without loss of generality.

[0063] Unless specifically stated otherwise as apparent from the above discussion, it is appreciated that throughout the description, discussions utilizing terms such as “calculating” or “determining” or “identifying” or the like, refer to the action and processes of a computer system, or similar electronic computing device, that manipulates and transforms data represented as physical (electronic) quantities within the computer system memories or registers or other such information storage, transmission or display devices.

[0064] Certain aspects of the present invention include process steps and instructions described herein in the form of an algorithm. It should be noted that the process steps and instructions of the present invention could be embodied in software, firmware or hardware, and when embodied in software, could be downloaded to reside on and be operated from different platforms used by real time network operating systems.

[0065] The present invention also relates to an apparatus for performing the operations herein. This apparatus may be specially constructed for the required purposes, or it may comprise a general-purpose computer selectively activated or reconfigured by a computer program stored on a computer readable medium that can be accessed by the computer. Such a computer program may be stored in a computer readable storage medium, such as, but is not limited to, any type of disk including floppy disks, optical disks, CD-ROMs, magnetic-optical disks, read-only memories (ROMs), random access memories (RAMs), EPROMs, EEPROMs, magnetic or optical cards, or any type of media suitable for storing electronic instructions, and each coupled to a computer system bus. Those of skill in the art of integrated circuit design and video codecs appreciate that the invention can be readily fabricated in various types of integrated circuits based on the above functional and structural descriptions, including application specific integrated circuits (ASIC). In addition, the present invention may be incorporated into various types of video coding devices.

[0066] The algorithms and operations presented herein are not inherently related to any particular computer or other apparatus. Various general-purpose systems may also be used with programs in accordance with the teachings herein, or it may prove convenient to construct more specialized apparatus to perform the required method steps. The required structure for a variety of these systems will be apparent to those of skill in the art, along with equivalent variations. In addition, the present invention is not described with reference to any particular programming language. It is appreciated that a variety of programming languages may be used to implement the teachings of the present invention as described herein, and any references to specific languages are provided for disclosure of enablement and best mode of the present invention.

[0067] Finally, it should be noted that the language used in the specification has been principally selected for readability and instructional purposes, and may not have been selected to delineate or circumscribe the inventive subject matter. Accordingly, the disclosure of the present invention is intended to be illustrative, but not limiting, of the scope of the invention.

We claim:

1. A computer implemented method of personalizing results of a search query to a user, comprising:

retrieving a set of documents relevant to the search query of the user;

determining a first ranking of the set of documents in response to an interest profile of the user and a degree of influence of the interest profile to the ranking; and

presenting the ranked documents to the user.

2. The method of claim 1, wherein presenting the ranked documents further comprises:

displaying a personalization icon next to each document associated with an interest that is included in the interest profile of the user.

3. The method of claim 1, further comprising:

receiving from the user an input of a degree of influence which the user's interest profile is to have on the ranked documents;

determining a second ranking of the set of documents in response to the degree of influence; and

presenting the documents with the second ranking to the user.

4. The method of claim 3, wherein determining the second ranking is performed without retrieving a second set of documents relevant to the query.

5. The method of claim 3, wherein the second ranking is determined prior to receiving the user input of the degree of influence.

6. The method of claim 3, wherein the second ranking is determined concurrently with determining the first ranking.

7. The method of claim 3, wherein the user input of the degree of control is a change of position in a graphical representation of a control.

8. The method of claim 7, wherein the control is a slider.

9. The method of claim 7, wherein the control is a dial.

10. The method of claim 7, wherein the control is radio button.

11. The method of claim 1, wherein determining a first ranking further comprises:

retrieving the interest profile of the user from a cookie.

12. The method of claim 1, wherein determining a first ranking further comprises:

retrieving the interest profile of the user from a database communicatively coupled to a search engine.

13. The method of claim 1, wherein the interest profile of the user comprises a set of text tokens, each token corresponding to a topic of interest.

14. The method of claim 1, wherein the interest profile of the user comprises a set of topic index numbers, each index number corresponding to a topic of interest.

15. The method of claim 1, wherein determining a first ranking comprises:

scaling the information retrieval score of at least one document in the set by a boost value associated with the

document in response to the document being associated with an interested included in the interest profile of the user.

16. The method of claim 1, wherein each document has an information retrieval score, and determining a first ranking comprises:

for each document associated with a topic included in the interest profile of the user, determining a boost value for the document, and scaling an information retrieval score of the document by the boost value and the degree of influence; and

ranking the documents in the set according to their information retrieval scores.

17. The method of claim 1, wherein determining a first ranking comprises:

for at least one document in the set of documents:

determining whether a website containing the document is associated with a topic included in the interest profile of the user; and

scaling an information retrieval score of the document by the boost value associated with the website containing the document.

18. The method of claim 1, wherein determining a first ranking comprises:

for at least one document in the set of documents:

determining whether the document is included in a first website linked to by a second website, the second website associated with a topic included in the interest profile of the user; and

scaling an information retrieval score of the document by a weight value associated with the first website.

19. The method of claim 18, wherein the weight value is based on a number of links from the second website to the first website.

20. The method of claim 1, wherein determining a first ranking comprises:

for a document associated with a plurality of topics included in the interest profile of the user:

determining a website containing the document;

determining for each topic associated with the website, a boost value for a website; and

determining a final boost value for the document as a function of the boost values; and

scaling the information retrieval score of the document by the final boost.

21. The method of claim 1, wherein determining a first ranking comprises:

determining for at least one document, a boost value from a topic directory comprising a plurality of topics, each topic associated with at least one website, each website having a boost value, wherein the interest profile of the user contains at least one topic from the topic directory; and

scaling an information retrieval score of the least one document by its boost value.

22. A computer implemented method of personalizing results of a search query to a user, comprising:

retrieving a set of documents relevant to the search query of the user;

determining a first ranking of the set of documents independently of an interest profile of the user;

presenting the ranked documents to the user;

receiving from the user an input providing a degree of influence which the user's interest profile is to have on the ranked documents; and

presenting the documents to the user with a second ranking according to the degree of influence.

23. A computer implemented method of personalizing results of a search query to a user, comprising:

retrieving a set of documents relevant to the search query of the user;

determining a first ranking of the set of documents according to a minimum degree of influence of an interest profile of the user;

determining a second ranking of the set of documents according to a maximum degree of influence the interest profile of the user;

presenting the first ranking of the documents to the user;

receiving a user input providing a selection of a maximum degree of influence of the user's interest profile;

presenting the second ranking of the documents to the user.

24. A computer implemented method of personalizing results of a search query to a user, comprising:

retrieving a set of documents relevant to the search query of the user;

determining a first ranking of the set of documents according to a maximum degree of influence the interest profile of the user;

determining a second ranking of the set of documents according to a minimum degree of influence of an interest profile of the user;

presenting the first ranking of the documents to the user;

receiving a user input providing a selection of a minimum degree of influence of the user's interest profile;

presenting the second ranking of the documents to the user.

25. A computer implemented method of personalizing results of a search query to a user, comprising:

retrieving a set of documents relevant to the search query of the user;

determining a first ranking of the set of documents according to a minimum degree of influence of an interest profile of the user;

determining a second ranking of the set of documents according to a maximum degree of influence the interest profile of the user;

presenting the first ranking of the documents to the user;

receiving a user input providing a degree of influence of the user's interest profile;

determining a third ranking of the documents by interpolating between the first ranking and the second ranking according to the received degree of influence relative to the minimum and maximum degrees of influence.

26. A computer implemented method of personalizing results of a search query to a user, comprising:

retrieving a set of documents relevant to the search query of the user;

determining a first ranking of the set of documents in response to an interest profile of the user and a degree of influence of the interest profile to the ranking, wherein the interest profile includes at least one topic of interest to the user;

presenting the ranked documents to the user;

receiving from the user a modification to interest profile, the change comprising at least one of a) at least one topic added to the interest profile, and b) at least one topic deleted from the interest profile;

determining a second ranking of the set of documents in response to the modified interest profile; and

presenting the documents with the second ranking to the user.

27. A computer implemented method of personalizing results of a search query to a user, comprising:

at a server:

retrieving a set of documents relevant to a query of a user;

determining a first ranking of the set of documents according to a minimum degree of influence of an interest profile of the user;

determining a second ranking of the set of documents according to a maximum degree of influence the interest profile of the user;

determining a plurality of ranking vectors, including a first ranking vector describing the first ranking of the set of documents, a second ranking vector describing the second ranking of the set of documents, and at least one intermediate ranking vector describing a third ranking of the set of documents interpolated between the first and second rankings;

at a client:

presenting the first ranking of the documents to the user according to the first ranking vector;

receiving a user input providing a degree of influence of the user's interest profile;

selecting one of the plurality of ranking vectors corresponding to the received user input of the degree of influence; and

presenting the set of documents according to the selected ranking vector.

28. A computer implemented method of personalizing results of a search query to a user, comprising:

retrieving a set of documents relevant to the search query of the user;

ranking the set of documents according a set of topics selected by the user as representative of the user's interests and to a degree of influence of the selected topics; and

presenting the ranked documents to the user.

29. A computer implemented method of personalizing results of a search query to a user, comprising:

retrieving a set of documents relevant to the search query of the user, each document having an information retrieval score;

boosting the information retrieval score of at least one document in the set according to a boost value assigned to a website related to the document, where the website is associated with at least one topic in a set of topics selected by the user as representative of the user's interests;

ranking the set of documents according to their information retrieval scores, including both documents with boosted information retrieval scores and unboosted information retrieval scores; and

presenting the ranked documents to the user.

30. A user interface for a search engine, comprising:

a topical directory including a plurality of topics, including topics selectable by a user to indicate an interest in the topic for defining an interest profile of the user; and

a search results page, that lists search results comprising a plurality of documents relevant to a search query of a user, and including a graphical control element that enables the user to adjust a ranking of the documents in accordance with the interest profile of the user.

31. The user interface of claim 30, wherein the topical directory further comprises:

each topic associated with a plurality of websites, each website having an associated boost value for boosting an information retrieval score of a document related to that website when the document is relevant to the search query.

32. The user interface of claim 30, wherein the graphical control is a slider.

33. The user interface of claim 30, wherein the graphical control is a dial.

34. The user interface of claim 30, wherein the graphical control is radio button.

35. The user interface of claim 30, wherein the graphical control has a plurality of positions, each position associated with a degree of influence of the user's interest profile.

36. A search engine system, comprising:

a topical directory including a plurality of topics, including topics selectable by a user to indicate an interest in the topic for defining an interest profile of the user;

a search engine for retrieving search results comprising documents in response to a query provided by a user and ranking the documents according to relevance to the query; and

a personalization component that determines at least one ranking of the documents according to the user's interest profile.