#### (19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 29 December 2004 (29.12.2004)

**PCT** 

### (10) International Publication Number WO 2004/114158 A1

(51) International Patent Classification<sup>7</sup>: G06I

G06F 17/30

(21) International Application Number:

PCT/US2004/016258

(22) International Filing Date: 20 May 2004 (20.05.2004)

(25) Filing Language: English

(26) Publication Language: English

(**30**) **Priority Data:** 60/472,445

10/608,270

20 May 2003 (20.05.2003) US 27 June 2003 (27.06.2003) US

(71) Applicant (for all designated States except US): GOOGLE INC. [US/US]; 2400 Bayshore Parkway, Mountain View, California 94043 (US). (72) Inventor; and

(75) Inventor/Applicant (for US only): NEVILL-MAN-NING, Craig [NZ/US]; 666 Greenwich Street #434, New York, NY 10014 (US).


(74) Agent: INOUYE, Patrick Joseph Sus; Law Offices of Patrick J.S. Inouye, 810 Third Avenue, Ste 258, Seattle, WA 98104 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

[Continued on next page]

#### (54) Title: SYSTEM AND METHOD FOR PROVIDING DEFINITIONS

40



(57) Abstract: A system (10) and method (40) for providing definitions (44) is described. A phrase (41) to be defined is received. One or more documents (42), which each contain at least one definition (44), are determined. The phrase (41) is matched to at least one of the definitions (44). One or more definitions (44) for the phrase (41) are presented.



#### 

- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

#### Published:

with international search report

#### SYSTEM AND METHOD FOR PROVIDING DEFINITIONS

5

10

15

20

25

30

#### CROSS-REFERENCE TO RELATED APPLICATION

This patent application claims priority under 35 USC § 119(e) to U.S. provisional patent application, Serial No. 60/472,445, entitled "System and Method for Providing Definitions," filed May 20, 2003 and claims priority under 35 USC § 120 to the U.S. non-provisional patent application, Serial No. 10/608,270, entitled "System and Method for Providing Definitions," filed June 27, 2003, the disclosures of which are incorporated by reference.

#### TECHNICAL FIELD

The present invention relates in general to providing definitions and, in particular, to a system and method for providing definitions.

BACKGROUND ART

A system and method for providing definitions is described. There is a vast amount of content available on the Internet. Some of this content is organized in the form of glossaries or definitions. The system and methods described herein allow one to tap into these available resources to quickly and efficiently provide definitions for phrases. "Phrases" may refer to words, phrases, or any other semantic unit that is capable of definition.

#### DISCLOSURE OF THE INVENTION

An embodiment provides a system and method for providing definitions. A phrase to be defined is received. One or more documents, which each contain at least one definition, are determined. The phrase is matched to at least one of the definitions. One or more definitions for the phrase are presented.

A further embodiment provides determining definitions from distributed information stores. One or more documents are identified. Each document is maintained in a distributed information store and contains a definition for an associated phrase. Information regarding each identified document is stored. A phrase for which a definition is sought is matched against the stored information for each identified document. Each identified document is fetched from the distributed information store and one or more matching definitions are returned. Each matching definitions is presented.

Still other embodiments of the present invention will become readily apparent to those skilled in the art from the following detailed description, wherein are described embodiments of

1

the invention by way of illustrating the best mode contemplated for carrying out the invention. As will be realized, the invention is capable of other and different embodiments and its several details are capable of modifications in various obvious respects, all without departing from the spirit and the scope of the present invention. Accordingly, the drawings and detailed description are to be regarded as illustrative in nature and not as restrictive.

#### DESCRIPTION OF THE DRAWINGS

5

10

20

25

30

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with the color drawings will be provided by the Office upon request and payment of the necessary fee.

FIGURE 1 is a block diagram showing a system for providing definitions, in accordance with the present invention.

FIGURE 2 is a block diagram showing a computer system for use in the system of FIGURE 1.

FIGURE 3 is a flow diagram showing a method for providing definitions, in accordance with the present invention.

FIGURE 4 is a screen shot showing, by way of example, definitions provided by the method of FIGURE 3.

FIGURE 5 is a screen shot showing, by way of example, further definitions provided by the method of FIGURE 3.

FIGURE 6 is a screen shot showing, by way of example, still further definitions provided by the method of FIGURE 3.

#### BEST MODE FOR CARRYING OUT THE INVENTION

FIGURE 1 is a block diagram showing a system 10 for providing definitions, in accordance with the present invention. A plurality of individual clients 12 are communicatively interfaced to a server 11 via an internetwork 13, such as the Internet, or other form of communications network, as would be recognized by one skilled in the art. The individual clients 12 are operated by users 19 who transact requests for Web content and other operations through their respective client 12.

In general, each client 12 can be any form of computing platform connectable to a network, such as the internetwork 13, and capable of interacting with application programs. Exemplary examples of individual clients include, without limitation, personal computers, digital assistances, "smart" cellular telephones and pagers, lightweight clients, workstations, "dumb" terminals interfaced to an application server, and various arrangements and configurations thereof, as would be recognized by one skilled in the art. The internetwork 13 includes various

topologies, configurations, and arrangements of network interconnectivity components arranged to interoperatively couple with enterprise, wide area and local area networks and include, without limitation, conventionally wired, wireless, satellite, optical, and equivalent network technologies, as would be recognized by one skilled in the art.

5

10

15

20

25

30

For Web content exchange and, in particular, to transact searches, each client 12 executes a Web browser 18 ("Web browser"), which implements a graphical user interface and through which search queries are sent to a Web server 20 executing on the server 11, as further described below with reference to FIGURE 2. Each search query describes or identifies information, generally in the form of Web content, which is potentially retrievable via the Web server 20. In addition, the search query can include a phrase for which a definition is sought, as further described below with reference to FIGURE 3. The search query provides characteristics, typically expressed as terms, such as keywords and the like, and attributes, such as language, character encoding and so forth, which enables a search engine 21, also executing on the server 11, to identify and send back Web pages. The terms and attributes are a form of metadata, which constitute data describing data. Other styles, forms or definitions of search queries, search query characteristics, and metadata are feasible, as would be recognized by one skilled in the art.

The Web pages are sent back to the Web browser 18 for presentation, usually in the form of Web content titles, hyperlinks, and other descriptive information, such as snippets of text taken from the Web pages. The user can view or access the Web pages on the graphical user interface and can input selections and responses in the form of typed text, clicks, or both. The server 11 maintains an attached storage device 15 in which Web content 22 is maintained. The Web content 22 could also be maintained remotely on other Web servers (not shown) interconnected either directly or indirectly via the internetwork 13 and which are preferably accessible by each client 12.

The search engine 21 preferably identifies the Web content 22 best matching the search query terms to provide high quality Web pages, such as described in S. Brin and L. Page, "The Anatomy of a Large-Scale Hypertextual Search Engine" (1998) and in U.S. Patent No. 6,285,999, issued September 4, 2001 to Page, the disclosures of which are incorporated by reference. In identifying matching Web content 22, the search engine 21 operates on information characteristics describing potentially retrievable Web content, as further described below with reference to FIGURE 2. Note the functionality provided by the server 20, including the Web server 20 and search engine 21, could be provided by a loosely- or tightly-coupled distributed or parallelized computing configuration, in addition to a uniprocessing environment.

The individual computer systems, including server 11 and clients 12, include general purpose, programmed digital computing devices consisting of a central processing unit (processors 13 and 16, respectively), random access memory (memories 14 and 17, respectively), non-volatile secondary storage 15, such as a hard drive or CD ROM drive, network or wireless interfaces, and peripheral devices, including user interfacing means, such as a keyboard and display. Program code, including software programs, and data is loaded into the RAM for execution and processing by the CPU and results are generated for display, output, transmittal, or storage. The Web browser 18 is an HTTP-compatible Web browser, such as the Internet Explorer, licensed by Microsoft Corporation, Redmond, WA; Navigator, licensed by Netscape Corporation, Mountain View, CA; or a Mozilla or JavaScript enabled browser, as are known in the art.

5

10

15

20

25

30

FIGURE 2 is a block diagram showing a computer system 30 for use in the system 10 of FIGURE 1. The computer system 30 includes a processor 31 and visual display 32, such as a computer monitor or liquid crystal diode (LCD) display, as are known in the art. The computer system 30 executes a Web browser 18 (shown in FIGURE 1), which implements a graphical user interface 37. Visual Web content, including retrieved definitions, is output within a display area defined on the graphical user interface 37 while user inputs are generally input both within the display area and within specified user input regions. Textual user inputs are received via a keyboard 33. Linear, non-textual inputs are received via a pointing device 34, such as a mouse, trackball, track pad, or arrow keys. Similarly, voice- and sound-based inputs are received via a microphone 35. Visual outputs are displayed via the graphical user interface 37 on the visual display 32, while audio outputs are played on the speakers 36. Other forms of computer components, including processor 31, visual display 32, and input and output devices could be used, as would be recognized by one skilled in the art.

One embodiment of the present invention will now be described with reference to FIGURE 3, which provides a flow diagram showing a method for providing definitions, in accordance with the present invention. The method is described as a sequence of process operations or steps, which can be executed, for instance, by the system of FIGURE 1, or equivalent component.

First, a phrase for which definition is sought is provided (block 310). The phrase may be provided by, for example, a user request or query, or by any other means. One example of a system for providing a phrase is that located at the URL identified by <a href="http://labs.google.com/glossary">http://labs.google.com/glossary</a>, the contents of which are incorporated by reference. In

addition, the spelling of the phrase can be corrected if necessary or normalized into a common root form to provide more consistent definition results.

Documents that contain definitions are determined (block 320). These documents may be determined in any number of ways. For example, such documents may be determined during Web-crawling or spidering performed by search engines in either real time or batch processing modes. Once a document is determined to contain definitions, the document (or information about the document, such as the document's URL) may be stored or remembered for future use. "Authoritative" sources for definitions may also be used, for example, documents associated with Web sites, such as <a href="https://www.dictionary.com">http://www.dictionary.com</a>.

5

10

15

20

25

30

In one embodiment of the present invention, documents containing definitions are located substantially in real time, by conducting a query via an Internet search engine. In a further embodiment, the documents are located substantially in a batch processing mode, for example, by fetching, parsing and indexing the documents containing definitions off-line prior to receiving queries. In addition, a combination could be used, such as by providing batch processing for identifying documents containing definitions and using real time processing to fetch, deduplicate and clean up definitions responsive to each query.

The query may search for terms that are likely to indicate the presence of definitions, such as "glossary," "definition," "dictionary," and so forth, as well as variants and canonicalizations thereof. The search may be conducted over the document text as a whole, or may be restricted to certain portions or fields within documents, such as the title field, fields containing other metadata, and so forth. The structure of documents, that is, the tagged nature of HTML documents, may also be relevant to determining how to structure the query. In an embodiment of the invention, a search for "glossary," "definitions," or "dictionary" in the title of Web pages are used to determine the relevant documents. As will be recognized by one of ordinary skill in the art of information retrieval, the above methods may be combined in various fashions and with numerous other methods to determine definition containing documents.

The phrase for which definition is sought is then matched against the determined documents to return definitions (block 330). The documents determined in this step (block 330) may be parsed to identify occurrences of the phrase being sought and the phrase's associated definition. For example, definition containing documents may be organized with "headwords," or words that can be looked up in a dictionary form. There are various methods for identifying headwords and/or identifying definitions. In one embodiment of the invention, one or more of the following methods are used to parse apart documents, identify headwords, and/or return definitions:

• If the page uses  $\langle dl \rangle$ ,  $\langle dt \rangle$  and  $\langle dd \rangle$ , which are HTML tags used for specifying lists of definitions, the HTML mark up is relied upon to identify definitions, that is:

- HTML tags, such as , , , and < br >, may be treated as separators between successive definitions.
- White space or punctuation (.,:-) is eliminated at the beginning of definitions.
- Headwords may be identified by the fact that the headwords are surrounded by the HTML tags < b>, < strong>, < em>, < code>, or < span>.
- Lines that do not start with headwords are deleted.
- If there are fewer than N, for instance, N = 5, definitions found in the document or page, all definitions in the document or page are discarded.

The parser does not need to be perfect at identifying all headwords and definitions. In one embodiment, due to the large number of definition-containing documents determined in the definition document determination step (block 320), the parser is biased towards precision rather than thoroughness. In other words, the parser errs towards throwing entries away rather than keeping entries that may be incorrect because there are more than enough definitions to supply a satisfactory outcome. Similarly, in a further embodiment, the parser de-duplicates entries that are duplicative or merely cumulative of other entries.

One or more of the returned definitions are then provided (block 340). In one embodiment, the returned definitions are ranked according to PageRank<sup>TM</sup> of the documents from which they are retrieved, according to the methods disclosed in U.S. Patent No. 6,285,999, cited above. The retrieved definitions may also be processed for presentation, such as by carrying out one or more of the following steps:

#### • Removing:

15

25

30

35

- all HTML markup;

- leading and trailing white space in both headword and definition;
- all punctuation: (.:;!?-) in the headword;
- all leading non-alpha and non-parenthesis in the headword and definition;
- all trailing non-alphanumeric and non-parenthesis in the headword.

• Throw the definition away if:

5

10

15

20

25

30

- the definition starts with "see"
- the definition is a duplicate of one already retrieved.

• Capitalize the first letter the definition.

In one embodiment, only definitions whose head phrases are an exact match for the phrase are presented. However, in other embodiments of the invention, a looser form of matching may be allowed.

Other information may also be determined and presented. In one embodiment of the present invention, superstrings of the phrase are tabulated and presented as query refinements or related phrases. Superstrings are strings that contain the phrase (or possibly common variants or canonicalized versions of the phrase). Methods for determining common variants or canonicalized versions of words and phrases are described in, for example, U.S. patent application Serial No. 10/377,117, Attorney Docket No. GP-091-00-US, entitled "SEARCH QUERIES IMPROVED BASED ON QUERY SEMANTIC INFORMATION," filed March 3, 2003, pending, and listing Amit Singhal et al. as inventors, which disclosure is incorporated by reference. For example, the top M superstrings may be listed. Similarly, the phrase may be presented in a processed form, such as in the phrase's most common capitalization; for instance, a user query for [pocket pc] or [pocket pcs] may be presented as "Pocket PC" because that is the most common form and/or capitalization found in the definitions.

As will be recognized by one of skill in the art, the steps described above with reference to FIGURE 3 need not be performed in the order listed, and steps may be added or removed.

As used in this specification, a "document" is to be broadly interpreted to include any machine readable or machine storable work product. A document may be a file, a combination of files, one or more files with embedded links to other files, and so forth. The files may be of any type, such as text, audio, image, video, and so forth. In the context of the Internet, a common document is a Web page, as is known in the art.

According to a further aspect of the invention, in situations where no definitions are found (or where definitions are not selected for presentation, such as if there is doubt as to whether the definition properly matches the original provided phrase), a set of terms or phrases that are related to the original phrase, that are deemed likely to be related to the phrase, that may be of interest (e.g. of interest to the user entering the original phrase), or even a "random" or eclectic set of terms or phrases for which definitions are returned, may be provided. Such terms may be provided, for example, to give a user a guide as to the types of terms that are defined, or for user amusement.

FIGURE 4 is a screen shot 400 showing, by way of example, definitions provided by the method of FIGURE 3. A glossary search for the phrase "rdbms" is provided, substantially as shown.

FIGURE 5 is a screen shot 500 showing, by way of example, further definitions provided by the method of FIGURE 3. A glossary search for the phrase "pocket pc" is provided, substantially as shown.

5

10

FIGURE 6 is a screen shot 600 showing, by way of example, still further definitions provided by the method of FIGURE 3. A glossary search for the phrase "pocket pcs" is provided, substantially as shown.

While the invention has been particularly shown and described as referenced to the embodiments thereof, those skilled in the art will understand that the foregoing and other changes in form and detail may be made therein without departing from the spirit and scope of the invention.

#### CLAIMS:

1	1. A system (10) for providing definitions (44), comprising:
2	a server (11) receiving a phrase (41) to be defined, determining one or
3	more documents (42) each containing at least one definition (44), and
4	matching the phrase (41) to at least one of the definitions (44); and
5	a user interface (37) presenting one or more definitions (44) for the
6	phrase (41).
1	2. The system (10) of claim 1, wherein receiving the phrase (41)
2	to be defined, determining one or more documents (42) each containing at
3	least one definition (44), matching the phrase (41) to at least one of the
4	definitions (44), and presenting one or more definitions (44) for the phrase
5	(41) are performed substantially in real time, batch mode, or a combination
6	thereof.
1	3. The system (10) of claim 1, wherein the documents (42) are
2	Web pages (22).

- 1 4. The system (10) of claim 1, wherein the determining includes
- 2 conducting a query on a search engine (21).
- 1 5. The system (10) of claim 4, wherein the determining includes 2 searching for documents (42) that include a predetermined term in a 3 predetermined field.
- 1 6. The system (10) of claim 5, wherein the predetermined term 2 includes one of a glossary, definition (44), and dictionary.
- The system (10) of claim 5, wherein the predetermined field is a title field.
- 1 8. The system (10) of claim 1, wherein the matching includes 2 determining the presence of the phrase (41) in one or more determined 3 documents (42).

1 9. The system (10) of claim 8, wherein the matching includes

- 2 determining the absence of the phrase (41) in one or more determined
- 3 documents (42).
- 1 10. The system (10) of claim 8, wherein determining the presence
- 2 of the phrase (41) further includes determining an exact match of the phrase
- 3 (41).
- 1 11. The system (10) of claim 8, wherein the matching comprises
- 2 modifying the phrase (41).
- 1 12. The system (10) of claim 11, wherein modifying the phrase
- 2 (41) comprises determining a canonical form of the phrase (41).
- 1 13. The system (10) of claim 1, wherein the matching further
- 2 comprises retrieving an associated definition (44) of the phrase (41).
- 1 14. The system (10) of claim 1, wherein presenting one or more
- 2 definitions (44) includes ranking the definitions (44).
- 1 15. The system (10) of claim 14, wherein the ranking is based at
- 2 least in part on the documents (42).
- 1 16. The system (10) of claim 15, wherein the ranking is based at
- 2 least in part on the PageRank of the documents (42) associated with the
- 3 definitions (44).
- 1 17. The system (10) of claim 1, wherein the presenting further
- 2 includes processing the definitions (44).
- 1 18. The system (10) of claim 1, wherein presenting definitions (44)
- 2 for the phrase (41) includes presenting a substantially most common
- 3 capitalization of the phrase (41).
- 1 19. The system (10) of claim 18, further comprising presenting less
- 2 common forms of the phrase (41).

1 20. The system (10) of claim 1, further comprising determining

- 2 superstrings of the phrase (41) present in the documents (42).
- 1 21. The system (10) of claim 20, further comprising presenting at
- 2 least some of the determined superstrings.
- 1 22. The system (10) of claim 21, wherein at least one of the
- 2 presented superstrings is presented as one of a related phrase (41) and a
- 3 suggested query.
- 1 23. A method (40) for providing definitions (44), comprising:
- 2 receiving a phrase (41) to be defined;
- determining one or more documents (42) each containing at least one
- 4 definition (44);
- 5 matching the phrase (41) to at least one of the definitions (44); and
- 6 presenting one or more definitions (44) for the phrase (41).
- 1 24. The method (40) of claim 23, wherein receiving the phrase (41)
- 2 to be defined, determining one or more documents (42) each containing at
- 3 least one definition (44), matching the phrase (41) to at least one of the
- 4 definitions (44), and presenting one or more definitions (44) for the phrase
- 5 (41) are performed substantially in real time, batch mode, or a combination
- 6 thereof.
- 1 25. The method (40) of claim 23, wherein the documents (42) are
- 2 Web pages (22).
- 1 26. The method (40) of claim 23, wherein the determining includes
- 2 conducting a query on a search engine (21).
- 1 27. The method (40) of claim 23, wherein the determining includes
- 2 searching for documents (42) that include a predetermined term in a
- 3 predetermined field.
- 1 28. The method (40) of claim 27, wherein the predetermined term
- 2 includes one of a glossary, definition (44), and dictionary.

1 29. The method (40) of claim 27, wherein the predetermined field

- 2 is a title field.
- 1 30. The method (40) of claim 23, wherein the matching includes
- 2 determining the presence of the phrase (41) in one or more determined
- 3 documents (42).
- 1 31. The method (40) of claim 30, wherein the matching includes
- 2 determining the absence of the phrase (41) in one or more determined
- 3 documents (42).
- 1 32. The method (40) of claim 30, wherein determining the presence
- 2 of the phrase (41) further includes determining an exact match of the phrase
- 3 (41).
- 1 33. The method (40) of claim 30, wherein the matching comprises
- 2 modifying the phrase (41).
- 1 34. The method (40) of claim 33, wherein modifying the phrase
- 2 (41) comprises determining a canonical form of the phrase (41).
- 1 35. The method (40) of claim 23, wherein the matching further
- 2 comprises retrieving an associated definition (44) of the phrase (41).
- 1 36. The method (40) of claim 23, wherein presenting one or more
- 2 definitions (44) includes ranking the definitions (44).
- 1 37. The method (40) of claim 36, wherein the ranking is based at
- 2 least in part on the documents (42).
- 1 38. The method (40) of claim 37, wherein the ranking is based at
- 2 least in part on the PageRank of the documents (42) associated with the
- 3 definitions (44).
- 1 39. The method (40) of claim 23, wherein the presenting further
- 2 includes processing the definitions (44).

1 40. The method (40) of claim 23, wherein presenting definitions

- 2 (44) for the phrase (41) includes presenting a substantially most common
- 3 capitalization of the phrase (41).
- 1 41. The method (40) of claim 40, further comprising presenting
- 2 less common forms of the phrase (41).
- 1 42. The method (40) of claim 23, further comprising determining
- 2 superstrings of the phrase (41) present in the documents (42).
- 1 43. The method (40) of claim 42, further comprising presenting at
- 2 least some of the determined superstrings.
- 1 44. The method (40) of claim 43, wherein at least one of the
- 2 presented superstrings is presented as one of a related phrase (41) and a
- 3 suggested query.
- 1 45. A computer-readable storage medium holding code for
- 2 performing the method (40) according to Claim 23.
- 1 46. An apparatus (30) for providing definitions (44), comprising:
- 2 means for receiving a phrase (41) to be defined;
- means for determining one or more documents (42) each containing at
- 4 least one definition (44);
- 5 means for matching the phrase (41) to at least one of the definitions
- 6 (44); and
- 7 means for presenting one or more definitions (44) for the phrase (41).




Fig. 2.






Fig. 3.

<u>40</u>



1



The acronym for relational database management systems, a database language developed by IBM in the 1970s along with its declarative query language SQL. A declarative language allows the user to say what he wants and then the RDBMS query planner figures out how to get it. The RDBMS is allowed to store the data nowever it wants

http://www.westward.com/webwork/sitebook/glossary.htm

http://www.e-nlusconsulting.com/DW/\_Concepts/Glossary/glossary.html

Relational Database Management System. A computer program that lets you store, index, and retrieve tables of data. The simplest way to look at an RDBMS is as a spreadsheet that multiple users can update. The most important thing that an RDBMS does is provide transactions. See the chapter "Choosing a Relational

http://www.arsdigita.com/books/panda/glossary.html

- An abbreviation for relational database management system, An RDBMS is an application that can create, organize, and edit databases; display data through userselected views; and, in some cases, print formatted reports. http://www.pace.ch/cours/glossary.htm
- Relational database management system. A database management system with the ability to access data organized in tabular files that can be related to each other by a common field (fiem). An RDBMS has the capability to recombine the data items from different files, providing powerful tools for data usage. See also

(1)

F

凹 Ī

8

- (6) X Ξ, 3

9.5. Google Glossary pocket pc - Microsoft Internet Byplorer	rie Edit View Favorites 1005 Hep Address (관 ktn://lahs.monie.com/folossarv/menoritet-ho
-ig. 5	

Use of this site is subject to express <u>terms, of use</u>. By continuing past this page, you agree to abide by these terms. Give us feedback - Discuss with others on <u>google, public, labs, glossary</u>

Google Glossary Search

Look up pocket pc at Dictionary.com or Meniam-Webster

## Related phrases

Pocket PC Update Pocket PC (formerly Windows CE)

# Definitions for Pocket PC from the web

- A computer that its in the palm of your hand which runs the latest Windows CE Operating System 3.0. Includes Pocket Word, Pocket Excel, Calendar, Contacts
  and Tasks as well as other applications. For more information read Pocket PC Articles and the PC Companion Feature Comparison. http://www.cewindows.net/pocketpc/glossary.htm
- Latest Windows CE environment for PDA. The communicating organizer is a true pocket computer with adapted software such as Pocket Word, Pocket Excel, Microsoft Money, Pocket Internet Explorer and a Multimedia reader (MP3, WAV) with the possibility of synchronizing with your PC (contacts, agenda, tasks, etc.). http://www.sagem.com/en/produits-en/lexique-en.htm
- Microsoft's latest operating system for handheld or PDA devices. There are currently several hardware manufacturers selling devices that come with Pocket PC: Compaq (iPaq), HP (Jornada 545 & 548) and Casiopeia E115). Pocket PCs come with Microsoft Reader pre-installed. http://www.planetebook.com/mainpage.asp?webpageid=70

ŧ	0 0 0	Ĭ
U	j	
ζ	5	)
Ü		

|--|

#### INTERNATIONAL SEARCH REPORT

Int onal Application No PCT/US2004/016258

A, CLASSII IPC 7	FICATION OF SUBJECT MATTER G06F17/30						
According to International Patent Classification (IPC) or to both national classification and IPC							
B. FIELDS	SEARCHED						
	ocumentation searched (classification system followed by classification	on symbols)					
IPC 7 GO6F							
Documentat	tion searched other than minimum documentation to the extent that s	uch documents are included in the fields se	earched				
Electronic d	ata base consulted during the international search (name of data base	se and, where practical, search terms used	)				
EPO-In	ternal, WPI Data, INSPEC						
С. ДОСИМ	ENTS CONSIDERED TO BE RELEVANT						
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.				
Χ	MARTIN MAURER: "How to get a sit	e listed	1-46				
	in Google Glossary?"						
	INTERNET CITATION, 'Online! 30 January 2003 (2003-01-30), pag	100 1-1	,				
	XP002302929	,00 1 1,	,				
	google.public.labs.glossary						
	'retrieved on 2004-10-27!	,					
	page 1, line 18 - page 1, line 43						
	_	-/					
		,					
<b></b>							
	her documents are listed in the continuation of box C.	Patent family members are listed i	n annex.				
		"T" later document published after the inte or priority date and not in conflict with	rnational filing date				
	ent defining the general state of the art which is not dered to be of particular relevance	cited to understand the principle or the invention	eory underlying the				
"E" earlier o	document but published on or after the international	"X" document of particular relevance; the o	laimed invention				
cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone							
which is cited to establish the publication date of another citation or other special reason (as specified)  "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the							
*O' document referring to an oral disclosure, use, exhibition or document is combined with one or more other such document other means document is combined with one or more other such documents, such combination being obvious to a person skilled			re other such docu-				
	ent published prior to the international filing date but han the priority date claimed	in the art.  *&* document member of the same patent	•				
Date of the actual completion of the international search  Date of mailing of the international search report			rch report				
2	7 October 2004	11/11/2004					
Name and mailing address of the ISA		Authorized officer					
	European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk						
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Boyadzhiev, Y	:				

#### INTERNATIONAL SEARCH REPORT

Int Ional Application No PCT/US2004/016258

OCCUMENTO CONCIDENTO TO DE COLEMANS	PCT/US2004/016258			
Category Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No.				
PFEIFER U ET AL: "Searching structured documents with the enhanced retrieval functionality of freeWAIS-sf and SFgate" COMPUTER NETWORKS AND ISDN SYSTEMS, NORTH HOLLAND PUBLISHING. AMSTERDAM, NL, vol. 27, no. 6, 1 April 1995 (1995-04-01), pages 1027-1036, XP004013204 ISSN: 0169-7552 abstract page 1028, right-hand column, line 12 - page 1028, right-hand column, line 44 page 1032, left-hand column, line 26 - page 1032, column D, line 16	1-46			
YVAN CLOUTIER: "Google Glossary" INTERNET CITATION, 'Online! 24 May 2002 (2002-05-24), pages 1-1, XP002302930 google.public.labs.glossary 'retrieved on 2004-10-27! the whole document	1-46			
MIHALCEA R ET AL: "AUTOASC - A SYSTEM FOR AUTOMATIC ACQUISITION OF SENSE TAGGED CORPORA"  INTERNATIONAL JOURNAL OF PATTERN RECOGNITION AND ARTIFICIAL INTELLIGENCE, WORLD SCIENTIFIC PUBLISHING COMPAGNY, SINGAPORE, SI, vol. 14, no. 1, February 2000 (2000-02), pages 3-17, XP000963052  ISSN: 0218-0014  abstract page 3, line 10 - page 4, line 5 page 5, line 13 - page 6, line 24 page 9, line 27 - page 9, line 40 page 12, line 1 - page 12, line 13	1-46			
YUWONO B ET AL: "Search and ranking algorithms for locating resources on the World Wide Web"  DATA ENGINEERING, 1996. PROCEEDINGS OF THE TWELFTH INTERNATIONAL CONFERENCE ON NEW ORLEANS, LA, USA 26 FEB1 MARCH 1996, LOS ALAMITOS, CA, USA, IEEE COMPUT. SOC, US, 26 February 1996 (1996-02-26), pages 164-171, XPO10158912 ISBN: 0-8186-7240-4 abstract page 165, left-hand column, line 5 - page 165, right-hand column, line 24 page 166, left-hand column, line 5 - page 166, left-hand column, line 59 page 166, right-hand column, line 47 - page 167, left-hand column, line 4	1-46			
	PFEIFER U ET AL: "Searching structured documents with the enhanced retrieval functionality of freeWAIS-sf and SFgate" COMPUTER NETWORKS AND ISDN SYSTEMS, NORTH HOLLAND PUBLISHING. AMSTERDAM, NL, vol. 27, no. 6, 1 April 1995 (1995-04-01), pages 1027-1036, XPO04013204 ISSN: 0169-7552 abstract page 1028, right-hand column, line 12 - page 1028, right-hand column, line 26 - page 1028, right-hand column, line 26 - page 1032, left-hand column, line 26 - page 1032, column D, line 16  YVAN CLOUTIER: "Google Glossary" INTERNET CITATION, 'Online! 24 May 2002 (2002-05-24), pages 1-1, XP002302930 google.public.labs.glossary 'retrieved on 2004-10-27! the whole document  MIHALCEA R ET AL: "AUTOASC - A SYSTEM FOR AUTOMATIC ACQUISITION OF SENSE TAGGED CORPORA" INTERNATIONAL JOURNAL OF PATTERN RECOGNITION AND ARTIFICIAL INTELLIGENCE, WORLD SCIENTIFIC PUBLISHING COMPAGNY, SINGAPORE, SI, vol. 14, no. 1, February 2000 (2000-02), pages 3-17, XP000963052 ISSN: 0218-0014 abstract page 3, line 10 - page 4, line 5 page 5, line 13 - page 6, line 24 page 9, line 27 - page 9, line 40 page 12, line 1 - page 12, line 13  YUWONO B ET AL: "Search and ranking algorithms for locating resources on the World Wide Web" DATA ENGINEERING, 1996. PROCEEDINGS OF THE TWELFITH INTERNATIONAL CONFERENCE ON NEW ORLEANS, LA, USA 26 FEB1 MARCH 1996, LOS ALAMITOS, CA, USA, IEEE COMPUT. SOC, US, 26 February 1996 (1996-02-26), pages 164-171, XP010158912 ISSN: 0-8186-7240-4 abstract page 165, left-hand column, line 5 - page 165, right-hand column, line 54 page 166, right-hand column, line 59			