



(19) **United States**

(12) **Patent Application Publication**

Gupta et al.

(10) **Pub. No.: US 2004/0254932 A1**

(43) **Pub. Date: Dec. 16, 2004**

(54) **SYSTEM AND METHOD FOR PROVIDING PREFERRED COUNTRY BIASING OF SEARCH RESULTS**

Related U.S. Application Data

(60) Provisional application No. 60/479,166, filed on Jun. 16, 2003.

(76) Inventors: **Vineet Gupta**, Los Altos, CA (US); **Ben Gomes**, Mountain View, CA (US); **John Lamping**, Los Altos, CA (US); **Mizuki McGrath**, San Francisco, CA (US); **Amit Singhal**, Palo Alto, CA (US); **Simon Tong**, Mountain View, CA (US)

Publication Classification

(51) **Int. Cl.⁷ G06F 17/30**

(52) **U.S. Cl. 707/7**


(57) **ABSTRACT**

A system and method for providing preferred country ordering of search results is described. A search query describing potentially retrievable information provided in a plurality of search result countries is received. A search is executed by evaluating the search query against information characteristics maintained in a searchable data repository. At least one preferred country applicable to search results generated is dynamically determined responsive to the executed search. At least some of the search results are ordered in consideration of the at least one preferred country.

Correspondence Address:
PATRICK J S INOUE P S
810 3RD AVENUE
SUITE 258
SEATTLE, WA 98104 (US)

(21) Appl. No.: **10/607,927**

(22) Filed: **Jun. 27, 2003**






Figure 1.

Figure 2.




Figure 3.

50




Figure 4.

80




Figure 5.

90




Figure 6.






Figure 7.




Figur 8.



Figur 9.

150



Figur 9 (Cont).





Figure 10.



SYSTEM AND METHOD FOR PROVIDING PREFERRED COUNTRY BIASING OF SEARCH RESULTS

CROSS-REFERENCE TO RELATED APPLICATION

[0001] This non-provisional patent application claims priority under 35 USC § 119(e) to U.S. provisional patent application, Ser. No. 60/479,166, filed Jun. 16, 2003, the disclosure of which is incorporated by reference.

FIELD OF THE INVENTION

[0002] The present invention relates in general to information location and, in particular, to a system and method for providing preferred country biasing of search results.

BACKGROUND OF THE INVENTION

[0003] Although the Internet traces back to the late 1960s, the widespread availability and acceptance of personal computing and internetworking have resulted in the explosive growth and unprecedented advances in information sharing technologies. In particular, the Worldwide Web ("Web") has revolutionized accessibility to untold volumes of information in stored electronic form to a worldwide audience, including written, spoken (audio) and visual (imagery and video) information, both in archived and real-time formats. In short, the Web has provided desktop access to every connected user to a virtually unlimited library of information in almost every language worldwide.

[0004] Information exchange on the Web operates under a client-server model. Individual clients execute Web content retrieval and presentation applications, typically in the form of Web browsers. The Web browsers send request messages for Web content to centralized Web servers, which function as data storage and retrieval repositories. The Web servers parse the request messages and return the requested Web content in response messages.

[0005] Search engines have evolved in tempo with the increased usage of the Web to enable users to find and retrieve relevant Web content in an efficient and timely manner. As the amount and types of Web content has increased, the sophistication and accuracy of search engines has likewise improved. Generally, search engines strive to provide the highest quality results in response to a search query. However, determining quality is difficult, as the relevance of retrieved Web content is inherently subjective and dependent upon the interests, knowledge and attitudes of the user.

[0006] Existing methods used by search engines are based on matching search query terms to terms indexed from Web pages. More advanced methods determine the importance of retrieved Web content using, for example, a hyperlink structure-based analysis, such as described in S. Brin and L. Page, "The Anatomy of a Large-Scale Hypertextual Search Engine," (1998) and in U.S. Pat. No. 6,285,999, issued Sep. 4, 2001 to Page, the disclosures of which are incorporated by reference.

[0007] A typical search query scenario begins with either a natural language question or individual keywords submitted to a search engine. The search engine executes a search against a data repository describing information character-

istics of potentially retrievable Web content and identifies the candidate search results. Searches can often return thousands or even millions of results, so most search engines typically rank or score only a subset of the most promising results. The top search results are then presented to the user, usually in the form of Web content titles, hyperlinks, and other descriptive information, such as snippets of text taken from the search results.

[0008] Search engines are generally available to users located worldwide. Thus, part of providing high-quality search results is being able to provide those search results from countries preferred by the requesting user. Preferred countries include the country of the user, as well as other acceptable countries. For instance, a Canadian user might also accept search results from the United States.

[0009] Currently, the Hypertext Transfer Protocol (HTTP) is used by most Web browser, Web server, and related Web applications, to transact Web information exchange. HTTP is a session-less protocol and no state identifying user preferences, including country, is typically maintained. The only information available to indicate the preferred country of a user are either preferences maintained independently of each HTTP transaction or inferable from the search query itself. User-provided preferences are specified either at the Web client or Web server. Client-side preferences are communicated through request message headers. Server-side preferences are specified via search engine options and are maintained independent of each HTTP transaction using cookies, which must be retrieved from the Web client prior to executing a search, or via a log-in procedure. Although effective at specifying preferred countries, users seldom explicitly set country preferences in practice. As well, country preferences are often too restrictive, presenting an all-or-nothing paradigm. The country preferences can function as a search result filter, providing only those search results in the preferred country and disallowing those search results in related or alternate countries.

[0010] Similarly, default settings for specifying preferred countries, either client-or server-side, can further complicate providing suitable search results. Often, default settings can be incorrect. For instance, the United States could be specified as a default country preference by virtue of a Web browser option, but may be unsuitable for presenting search results to a non-United States user.

[0011] Accordingly, there is a need to provide an approach to dynamically determining country preferences for the presentation of search results to a user. Preferably, such an approach would accommodate preferred countries, which are acceptable to the user, and include related, alternate and less preferred countries within the country preferences.

[0012] There is a further need for an approach to presenting search results in an ordered fashion in accordance with user preferred countries. Preferably, such an approach would order or score search results to favor those search results in preferred countries while accommodating those search results in other countries.

SUMMARY OF THE INVENTION

[0013] The present invention provides a system and method for dynamically determining preferred countries and ordering search results in response to a search query. User

preferred countries are determined based on an evaluation of interface and Internet protocol (IP) characteristics. Interface characteristics are determined using the search query metadata and search engine interface. IP characteristics are determined also using the search query metadata and the IP address of the client. Search results retrieved responsive to the search query are ordered based on the method utilized by the search engine to organize the search results in consideration of the preferred countries. The search results are ordered by either a predetermined shifting factor or by adjusting a numerical score assigned to each search result by a weighting factor and resorting the search results.

[0014] An embodiment provides a system and method for ordering search results. At least one preferred country applicable to search results generated responsive to a search executed on potentially retrievable information and provided in a plurality of search result countries is dynamically determined. At least some of the search results are ordered in consideration of the at least one preferred country.

[0015] A further embodiment provides a system and method for providing preferred country ordering of search results. A search query describing potentially retrievable information provided in a plurality of search result countries is received. A search is executed by evaluating the search query against information characteristics maintained in a searchable data repository. At least one preferred country applicable to search results generated is dynamically determined responsive to the executed search. At least some of the search results are ordered in consideration of the at least one preferred country.

[0016] A further embodiment provides a system and method for dynamically determining country preferences and ordering of search results. A search query request message is received and at least one of terms and attributes are parsed from the search query request message to identify potentially retrievable Web content provided in a plurality of search result countries. A search is executed by evaluating the at least one of terms and attributes against information characteristics maintained in a searchable data repository. Search results are generated responsive to the executed search. At least one preferred country is determined. Characteristics of at least one of the user interface and the Internet Protocol (IP) are evaluated. The at least one preferred country is selected based on the evaluated characteristics. At least some of the search results are ordered in consideration of the at least one preferred country. The search results are presented as search result response messages.

[0017] Still other embodiments of the present invention will become readily apparent to those skilled in the art from the following detailed description, wherein are described embodiments of the invention by way of illustrating the best mode contemplated for carrying out the invention. As will be realized, the invention is capable of other and different embodiments and its several details are capable of modifications in various obvious respects, all without departing from the spirit and the scope of the present invention. Accordingly, the drawings and detailed description are to be regarded as illustrative in nature and not as restrictive.

BRIEF DESCRIPTION OF THE DRAWINGS

[0018] FIG. 1 is a block diagram showing a system for providing preferred country biasing of search results, in accordance with the present invention.

[0019] FIG. 2 is a functional block diagram showing the search engine of FIG. 1.

[0020] FIG. 3 is a process flow diagram showing search query execution and search results processing by the search engine of FIG. 1.

[0021] FIG. 4 is a flow diagram showing a method for providing preferred country biasing of search results, in accordance with the present invention.

[0022] FIG. 5 is a flow diagram showing the routine for determining preferred countries for use in the method of FIG. 4.

[0023] FIG. 6 is a flow diagram showing the function for evaluating interface characteristics for use in the routine of FIG. 5.

[0024] FIG. 7 is a flow diagram showing the function for evaluating IP characteristics for use in the routine of FIG. 5.

[0025] FIG. 8 is a flow diagram showing the routine for ordering search results for use in the method of FIG. 4.

[0026] FIG. 9 is a flow diagram showing the routine for ordering search results by a shifting factor for use in the routine of FIG. 8.

[0027] FIG. 10 is a flow diagram showing the routine for ordering search results by a weighting factor for use in the routine of FIG. 8.

DETAILED DESCRIPTION

[0028] System Overview

[0029] FIG. 1 is a block diagram showing a system 10 for ordering search results, in accordance with the present invention. A plurality of individual clients 12 are communicatively interfaced to a server 11 via an internetwork 13, such as the Internet, or other form of communications network, as would be recognized by one skilled in the art. The individual clients 12 are operated by users 19 who transact requests for Web content and other operations through their respective client 12.

[0030] In general, each client 12 can be any form of computing platform connectable to a network, such as the internetwork 13, and capable of interacting with application programs. Exemplary examples of individual clients include, without limitation, personal computers, digital assistances, "smart" cellular telephones and pagers, lightweight clients, workstations, "dumb" terminals interfaced to an application server, and various arrangements and configurations thereof, as would be recognized by one skilled in the art. The internetwork 13 includes various topologies, configurations, and arrangements of network interconnectivity components arranged to interoperatively couple with enterprise, wide area and local area networks and include, without limitation, conventionally wired, wireless, satellite, optical, and equivalent network technologies, as would be recognized by one skilled in the art.

[0031] For Web content exchange and, in particular, to transact searches, each client **12** executes a Web browser **18** (“browser”) through which search queries are sent to a Web server **20** executing on the server **11**. Each search query describes or identifies information, generally in the form of Web content, which is potentially retrievable via the Web server **20**. The search query provides characteristics, typically expressed as terms, such as keywords and the like, and attributes, such as country, language and so forth, which enables a search engine **21**, also executing on the server **11**, to identify and send back search results. The terms and attributes are a form of metadata, which constitute data describing data. Other styles, forms or definitions of search queries, interface characteristics, and metadata are feasible, as would be recognized by one skilled in the art.

[0032] The search results are sent back to the browser **18** for presentation, usually in the form of Web content titles, hyperlinks, and other descriptive information, such as snippets of text taken from the search results. The server **11** maintains an attached storage device **15** in which Web content **22** is maintained. The Web content **22** could also be maintained remotely on other Web servers (not shown) interconnected either directly or indirectly via the internet-work **13** and which are preferably accessible by each client **12**.

[0033] The search engine **21** preferably identifies the Web content **22** best matching the search query terms to provide high quality search results, such as described in S. Brin and L. Page, “The Anatomy of a Large-Scale Hypertextual Search Engine” (1998) and in U.S. Pat. No. 6,285,999, issued Sep. 4, 2001 to Page, the disclosures of which are incorporated by reference. In identifying matching Web content **22**, the search engine **21** operates on information characteristics describing potentially retrievable Web content, as further described below with reference to FIG. 2. Note the functionality provided by the server **20**, including the Web server **20** and search engine **21**, could be provided by a loosely- or tightly-coupled distributed or parallelized computing configuration, in addition to a uniprocessing environment.

[0034] The individual computer systems, including server **11** and clients **12**, include general purpose, programmed digital computing devices consisting of a central processing unit (processors **13** and **16**, respectively), random access memory (memories **14** and **17**, respectively), non-volatile secondary storage **15**, such as a hard drive or CD ROM drive, network or wireless interfaces, and peripheral devices, including user interfacing means, such as a keyboard and display. Program code, including software programs, and data is loaded into the RAM for execution and processing by the CPU and results are generated for display, output, transmittal, or storage.

[0035] Search Engine Components

[0036] FIG. 2 is a functional block diagram **30** showing the search engine **21** of FIG. 1. Each component is a computer program, procedure or process written as source code in a conventional programming country, such as the C++ programming country, and is presented for execution by one or more CPUs as object or byte code in a uniprocessing, distributed or parallelized configuration, as is known in the art. The various implementations of the source

code and object and byte codes can be held on a computer-readable storage medium or embodied on a transmission medium in a carrier wave.

[0037] The search engine **21** consists of five components: parser **31**, indexer **32**, scorer **33**, country biaser **34**, and presenter **35**. Briefly, the search engine **21** receives a search query **36** communicated via a browser **18** from a user **19**, executes a search, generates search results **38**, orders the search results **38** in consideration of country preferences, and sends the ordered search results **37**. The search query **36** is preferably provided as a HTTP-compliant request message and the ordered search results **37** are preferably provided as HTTP-compliant response messages, although other forms of request and response exchanges are feasible, as would be recognized by one skilled in the art.

[0038] In more detail, the parser **31** receives the search query **36**. Each search query **36** describes potentially retrievable information, such as Web content **22**. The parser **31** then parses the search query **36** into individual tokens. The tokens include header values constituting metadata **48**, and an entity body containing the actual search query. The metadata **48** is copied to the country biaser **34**.

[0039] The indexer **32** executes the search by evaluating the search query **36** against information characteristics maintained in a searchable data repository **47**. The information characteristics are either the actual Web content **22** or metadata, such as hyperlinks, describing terms and attributes used to identify Web content. Other structures and organizations of a searchable data repository **47** are feasible, as would be recognized by one skilled in the art. Upon completing the search, the indexer **32** generates a set of search results **38** by applying the characteristics specified in the search query **36** to the stored information. Other structures and organizations of a searchable data repository **47** are feasible, as would be recognized by one skilled in the art.

[0040] Potentially, the indexer **32** can identify thousands or even millions of search results **38**, so only a subset of the search results **38**, typically between 100 to 10,000, are retained as the most promising search results **38**. The most promising search results **38** are then qualitatively ranked or scored by degree of match to the search query terms. The search results **38** can be numerically scored to reflect a relative quality or goodness of match. The scorer **33** assigns a numerical score **41** to each search result **38** for indicating a quality of match.

[0041] The indexer **32** also detects the countries associated with each search result **38**. The country can be determined in several ways. First, the country can be determined from the extension of the Uniform Resource Locator (URL) of each search result **38**. For instance, the URL www.whsmith.co.uk is assumed to be either located in or associated with the United Kingdom. Second, the address of the domain registrar can be examined and the country of business inferred. Similarly, the country can be inferred from the IP address of the Web server from which the search result **38** was obtained, from the search result document, or from other Web pages on the same Web site. Finally, the anchor text of the hyperlinks to the search result document, the text near the hyperlinks, or the countries of the Web pages with hyperlinks to the search result documents can be examined. Preferably, a combination of the foregoing methods can be combined to provide more accurate results. In addition,

other techniques for detecting the countries associated with search results are possible, as would be recognized by one skilled in the art.

[0042] The country biaser 34 performs two primary functions. First, the country biaser 34 determines one or more preferred countries 39 for each search query 36, as further described below with reference to FIG. 5. In one embodiment, such preferred countries 39 may be determined using a country selector 49. Second, the country biaser 34 orders the search results 38 in consideration of the preferred countries 39, as further described below with reference to FIG. 8. In one embodiment, such search results 38 may be ordered using a search result orderer (not shown). For efficiency, the country biaser 34 preferably orders a subset of the most promising search results 38, typically in the range of 15 to 30 search results, although other ranges could be used, as would be recognized by one skilled in the art.

[0043] In the described embodiment, the scorer 33 assigns those search results 38 having a higher degree of match a commensurately higher rank relative to other search results 38. For instance, if Canada was a preferred country 39, those search results 38 originating from Canadian Web servers would have a higher degree of match than search results 38 from, say, Australian Web servers. However, those search results 38 from an alternate preferred country, such as the United States, could also have a higher degree of match than search results 38 from Australian Web servers, but lower degree of match than search results 38 from Canadian Web servers. Alternatively, a counter ranking approach could be used whereby the scorer 33 assigns those search results 38 having a higher degree of match a commensurately lower rank relative to other search results 38. Other styles, assignments or definitions of search result ranking are feasible, as would be recognized by one skilled in the art. As well, the Web servers for a preferred country need not be physically located within the borders of the country and only need present a reasonable nexus to a given country with respect to Web content and logical association, as would be recognized by one skilled in the art.

[0044] In another embodiment, the search results 38 are numerically scored to reflect a relative quality or goodness of match. The scorer 33 assigns a numerical score 41 to each search result 38 for indicating a relative quality of match, with higher numerical scores 41 to reflect better quality than lower numerical scores 41. Those numerical scores 41 assigned to search results 38 from a Web server associated with a preferred country are promoted or "boosted" to provide a preferred country bias. For instance, if Canada was a preferred country 39, those search results 38 from Canadian Web servers would have numerical scores 41 boosted higher than search results 38 from, say, Australian Web servers. Those search results 38 from an alternate preferred country, such as the United States, could also have numerical scores 41 boosted higher than search results 38 from Australian Web servers. However, the search results 38 from Canadian Web servers could still be lower than the search results 38 from United States Web servers if the latter search results 38 provide better overall matches. Alternatively, a counter scoring approach could be used whereby the scorer 33 assigns lower numerical scores 41 to reflect better quality than higher numerical scores 41 and those numerical scores 41 assigned to search results 38 from a Web server associated with a preferred country are demoted to provide a

preferred country bias. Other styles, assignments or definitions of search result scoring are feasible, as would be recognized by one skilled in the art. As well, the Web servers for a preferred country need not be physically located within the borders of the country and only need present a reasonable nexus to a given country with respect to Web content and political, social and similar associations, as would be recognized by one skilled in the art. For instance, Web content from a Canadian Web server may actually be physically located on a proxy Web server located in another country, such as the United States.

[0045] In a further embodiment, a toolbar is provided as part of the presentation of a Web page on the graphical user interface of the Web browser 18. The toolbar can be in the form of a client-side application, as is known in the art. The toolbar includes a log, which counts the countries from which users visit Web sites. The predominant country or countries are then determined based on the log. In addition, the toolbar can identify Web sites having a worldwide appeal and which should therefore remain unassigned to a particular country. For instance, the Web site for a multinational company, such as Starbucks Corporation, would not be assigned to the United States.

[0046] To determine the preferred countries 39, the country biaser 34 evaluates any available country preferences 42, interface characteristics (IF Chars) 43, and IP characteristics (IP Chars) 44. The country preferences 42 are maintained independent of each HTTP transaction using cookies and must be retrieved from the client 12 prior to executing a search, or via a log-in procedure. The interface characteristics 43 may be determined from the metadata 48 and search engine interface and express country preferences can often be specified as user options. The IP characteristics 44 may be determined from the metadata 48 and the Internet protocol (IP) address of the client, which can be mapped to a country table 40 to determine a country with which the search results 38 are associated.

[0047] The country biaser 34 orders the search results 38. In one embodiment, non-numerically ordered search results 38 are ordered by a shifting factor 45, as further describe below with reference to FIG. 9. In the described embodiment, a constant shifting factor 45 of two (2.0) is employed to demote search results 38 in non-preferred countries by two positions. This shifting factor 38 is suitable when search results 38 are ordered by decreasing degree of match to the search query 36. For example, a search result 38 in a non-preferred country occurring in the third position of a list of the search results 38 would be demoted to the fifth position. Other forms of shifting factors could be employed as well. For instance, the shifting factor 45 could promote search results 38 in non-preferred countries. As well, the shifting factor 45 could order the search results 38 by mathematical function, using, for example, additive, subtractive, multiplicative, fractional, divisional, and logarithmic factors, or may be a formula or function, as well as various combinations and arrangements thereof, as would be recognized by one skilled in the art.

[0048] In another embodiment, preferable when an adjustment formula is available for a range of numerical scores 41, numerically scored search results 38 are adjusted by a weighting factor 46 to promote or "boost" the numerical scores 41, as further describe below with reference to FIG.

10. Such weighting factor **46** may be a constant, mathematical function using, for example, additive, subtractive, multiplicative, fractional, divisional, and logarithmic factors, or may be a formula or function, as well as various combinations and arrangements thereof, as would be recognized by one skilled in the art. In the described embodiment, the numerical scores **41** increase with the quality of match. For example, a higher numerical score **41** reflects a better quality than lower numerical scores **41**. Alternatively, a system may be employed whereby the numerical scores **41** could decrease with quality of match, as would be recognized by one skilled in the art.

[**0049**] In the described embodiment, for search results **38** in one of the preferred countries **39**, a weighting factor WLP is provided by the equation:

$$w_{LP} = \left\{ \forall s_{1..n}; s_i = \frac{s_i + 1}{2} \right\}$$

[**0050**] The weighting factor is most suitable when numerical scores **41** range between 0.0 and 1.0 and are approximately uniformly distributed. Other ranges of numerical scores and forms of weighting factors could be employed as well, as would be recognized by one skilled in the art.

[**0051**] In a further embodiment, the shifting factor **45** and the weighting factor **46** can be adjusted to accommodate less or more reliable dynamic preferred country determination. For instance, a short search query **36** or sparse search results **37** might lower the accuracy of the dynamic preferred country determination due to less context with which to work. The shifting factor **45** and the weighting factor **46** would be relaxed to less aggressively order the search results **37**. Alternatively, a long search query **36** or lengthy search results **37** might increase the accuracy and the shifting factor **45** and the weighting factor **46** would be increased to more aggressively order the search results **37**.

[**0052**] In addition, the search engine **21** can optionally include a language promoter (not shown) to determine preferred languages and less preferred languages, such as described in commonly-assigned U.S. provisional patent application Ser. No. 60/459,339, filed Mar. 31, 2003, pending, and U.S. patent application Ser. No. 10/407,476, filed Apr. 3, 2003, pending, the disclosures of which are incorporated by reference. In the described embodiment, the language promoter evaluates interface characteristics, IP characteristics, and search result characteristics for providing preferred language ordering of search results **37**, either in conjunction with or as an adjunct to the country biaser **34**.

[**0053**] Finally, the presenter **35** presents the ordered search results **37** to the user **19** via the browser **18**. Typically, only a part of the ordered search results **37** need be presented since the full set of ordered search results **37** can exceed available presentation space on the browser **18**. Presentation is the communication of the ordered search results **37** by means of a search result response message.

[**0054**] Search Query Execution and Search Results Processing

[**0055**] **FIG. 3** is a process flow diagram **50** showing search query execution and search results processing by the

search engine **21** of **FIG. 1**. The process flow proceeds in five primary phases. First, a search query **52** is accepted and parsed (process **51**) and is forwarded to the next phase. A search is executed (process **53**) against a stored data repository and search results **54** are forwarded to the next phase. The preferred countries **56** of the user **19** are determined (process **55**) based on metadata, the search engine interface, the IP address of the client, and other available context. The preferred countries **56** are forwarded to the next phase for use in ordering the search results **54** (process **57**). In the final phase, the ordered search results **58** are forwarded and presented (process **59**). The phases of determining the preferred countries (process **55**) and ordering the search results (process **57**) enhance the quality of the search results by tailoring the search results in accordance with dynamically determined user country preferences.

[**0056**] Method Overview

[**0057**] **FIG. 4** is a flow diagram showing a method **80** for ordering search results **38**, in accordance with the present invention. The method **80** is described as a sequence of process operations or steps, which can be executed, for instance, by a search engine **21** (shown in **FIG. 1**).

[**0058**] A search query **36** is accepted from a user **19** and parsed into metadata **48** (block **81**). A search is executed on a searchable data repository **47** by evaluating the search query **36** against information characteristics maintained in the searchable data repository **47** and search results **38** are generated (block **82**). Since thousands or even millions of search results **38** can potentially be generated, only a subset of the search results **38**, typically between 100 to 10,000, are retained as the most promising search results **38**. Prior to providing the search results **38** to the browser **18**, the search results **38** can be temporarily staged as "raw" Web pages, structured data, or unstructured data, from which metadata describing the characteristics of each search result **38** can be extracted, as is known in the art. The search results **38** are qualitatively ordered by degree of match to the search query **36** (block **83**) to provide a ranking or scoring, including a numerical score **41**, reflecting search result quality, as described above with reference to **FIG. 2**. The countries associated with the search results **38** are detected (block **84**). The countries can be determined from the URL extension of each search result **38** or by examining the domain registrar address and inferring the country of business. The country can also be inferred from the IP address of the Web server from which the search result **38** was obtained, from the search result document, or from other Web pages on the same Web site or by examining the anchor text of the hyperlinks to the search result document, the text near the hyperlinks, or the countries of the Web pages with hyperlinks to the search result documents. A combination of the foregoing methods can be combined to provide more accurate results. In addition, other techniques for detecting the countries associated with search results are possible, as would be recognized by one skilled in the art.

[**0059**] Up to this point, the search results **38** have been identified and ranked or scored. The preferred countries **39** of the requesting user **19** are then determined (block **85**), as further described below with reference to **FIG. 5**. The search results **38** are then ordered by degree of match to the preferred countries **39** (block **86**), as further described below with reference to **FIG. 8**. For efficiency, preferably only a

subset of the most promising search results **38**, typically in the range of 15 to 30 search results, are ordered, although other ranges could be used, as would be recognized by one skilled in the art. Finally, the ordered search results **37** are presented via the browser **18** (block **87**). Typically, only a part of the ordered search results **37** need be presented since the full set of ordered search results **37** can exceed available presentation space on the browser **18**. In the described embodiment, the search query **36** is provided as an HTTP-compliant request message and each search result is provided back to the user **19** as an HTTP-compliant response message.

[0060] In a further embodiment, the preferred countries **39** are stored for future use while executing search queries **36** from the same requesting user **19**. As well, the ability to present the ordered search results **37** using preferred country ordering could be controlled by enabling or disabling presentation in the preferred countries **39** using a “toggle” provided via the user interface. In a still further embodiment, the ordered search results **37** are grouped together in each of the preferred countries **39** prior to presentation to the requesting user **19**. Alternatively, the ordered search results **37** in the preferred countries **39** can be arranged for presentation next to those search results in non-preferred countries, such as by using adjacent columns or cells in a table. The routine then terminates.

[0061] Determining Preferred Countries

[0062] FIG. 5 is a flow diagram showing the routine **90** for determining preferred countries **39** for use in the method **80** of FIG. 4. The purpose of this routine is to determine the preferred countries **39** of the requesting user **19** based on interface characteristics **43** and IP characteristics **44**.

[0063] First, the interface characteristics **43** are evaluated (block **91**) based on the metadata **48** parsed from the search query **36** and the search engine interface, as further described below with reference to FIG. 6. If specific countries can be determined based on the interface characteristics **43** (block **92**), the specific countries are selected as the preferred countries **39** (block **93**). Next, if no specific countries can be determined from the interface characteristics **43** (block **92**), the IP characteristics **44** are evaluated (block **94**) based on the metadata **48** parsed from the search query **36** and the IP address of the client, as further described below with reference to FIG. 7. If specific countries can be determined based on the IP characteristics **44** (block **95**), the specific countries are selected as the preferred countries **39** (block **96**). Next, if no specific countries can be determined from the IP characteristics **44** (block **95**), the user preferences are evaluated, including the country preferences **42** (block **97**). If specific countries can be determined based on the user preferences (block **98**), the specific countries are selected as the preferred countries **39** (block **99**). If no specific countries can be determined from the user preferences (block **95**), a default or equivalent country is used. The routine then returns.

[0064] In the described embodiment, the search results **38** are provided in one of two formats. First, the search results **38** can be grouped as a collection of “raw” Web pages from which country characteristics can be determined. Second, the search results **38** can be organized into metadata describing the various characteristics, including country characteristics, and content of the Web pages corresponding to the

search results **38**. The predominant country or language of each search result **38** can be dynamically determined through content analysis, such as described in U.S. Pat. No. 6,167,369, issued Dec. 26, 2000 to Schulze, the disclosure of which is incorporated by reference.

[0065] For each instance in which one or more preferred country **39** has been selected (blocks **93**, **96** and **99**), related, alternate and less preferred countries, if any, can optionally be selected as additional preferred countries **39** (block **100**). Related, alternate and less preferred countries include those countries having a reasonable nexus to a given country with respect to Web content and political, social and similar associations, as would be recognized by one skilled in the art, or which a user simply indicates as being related, alternate and less preferred. For instance, Canada and the United States share numerous attributes and Canadian users may find Web content retrieved from United States Web servers equally useful. Following any additions to the preferred countries **39**, the routine returns.

[0066] Evaluating Interface characteristics

[0067] FIG. 6 is a flow diagram showing the function **110** for evaluating interface characteristics **43** for use in the routine **90** of FIG. 5. The purpose of this function is to determine any preferred countries **39** based on available metadata **48** parsed from the headers of the search query request message and the search engine interface.

[0068] First, any available metadata **48** corresponding to the headers of a search query request message are retrieved (block **111**). Any specified countries are determined (block **112**) by evaluating the search engine interface. The user interface is generated by the search engine **21** and express country preferences can often be specified as user options. Thus, any available country preferences are first determined. For example, a country-specific search engine interface, such as www.google.co.uk or www.google.de could respectively indicate user preferences for Web content retrieved from Web servers associated with the United Kingdom and Germany. Server-side country preferences are maintained either directly in a cookie stored at the client, or by the search engine **21** and accessed using cookies or log-in procedures to uniquely identify each requesting user **19**. If available, the appropriate country-identifying cookie is retrieved, or the appropriate user log-in procedure is performed. If specified (block **113**), the specified countries are returned (block **114**). Otherwise, no country preferences are returned (block **115**).

[0069] Evaluating IP characteristics

[0070] FIG. 7 is a flow diagram showing the function **120** for evaluating IP characteristics **44** for use in the routine **90** of FIG. 5. The purpose of this function is to determine any preferred countries **40** based on available metadata **48** parsed from the headers of the search query request message and the IP address of the client.

[0071] First, any available metadata **48** corresponding to the headers of a search query request message are retrieved (block **121**). Any specified countries are obtained (block **112**) by performing lookup mapping the IP address of the client to the country table **40**. The location of the client **12** from which the search query **36** was sent can be determined by evaluating the header of the Transmission Control Protocol (TCP) packet within which the search query **36** was

sent. The TCP header specifies an IP address, which is a 32-bit numeric address written as four numbers separated by periods. An IP domain can be determined by a Domain Name Service lookup of the last number in the IP address, as is known in the art. Other forms of client address mapping in addition to TCP/IP are feasible, as would be recognized by one skilled in the art. In the described embodiment, the predominant country for the domain specified in the IP address of the client 12 is selected using the country table 40 (block 123) and returned (block 124). Otherwise, if no IP address is provided (block 123), no country preferences are returned.

[0072] Ordering Search Results

[0073] FIG. 8 is a flow diagram showing the routine 145 for ordering search results 38 for use in the method 80 of FIG. 4. The purpose of this routine is to order the search results 38 based on the ranking or ordering method used, if any, by the search engine 21 in consideration of the preferred countries 39.

[0074] First, the approach utilized by the search engine 21 to rank or order the search results 38 is determined (block 146). If the numerical scores 41 assigned to the search results 38 are suitable for numerical adjustment (block 147), a numerical scoring approach is utilized, whereby the search results 38 are ordered using a weighting factor 46 (block 149), as further described below with reference to FIG. 10. Otherwise, the search results 38 are ordered by using a shifting factor 26 (block 148), as further described below with reference to FIG. 9. The routine then returns.

[0075] Ordering Search Results By A Shifting Factor

[0076] FIG. 9 is a flow diagram showing the routine 150 for ordering search results 38 by a shifting factor 45 for use in the routine 130 of FIG. 7. The purpose of this routine is to shift search results 38 associated with a non-preferred country down in relation to search results 38 associated with a preferred country 39. In the described embodiment, a constant shifting factor 45 of two (2.0) is employed to demote search results 38 in non-preferred countries by two positions. This shifting factor 38 is suitable when search results 38 are ordered by decreasing degree of match to the search query 36. For example, a search result 38 in a non-preferred country occurring in the third position of a list of the search results 38 would be demoted to the fifth position. Other forms of shifting factors could be employed as well. For instance, the shifting factor 45 could promote search results 38 in non-preferred countries. As well, the shifting factor 45 could order the search results 38 by mathematical functions, including additive, subtractive, multiplicative, fractional, divisional, and logarithmic factors, as well as various combinations and arrangements thereof, as would be recognized by one skilled in the art.

[0077] On one embodiment, the routine operates on a subset less than or equal to the total number of search results 38, although other forms of subset selection criteria could be used, as would be recognized by one skilled in the art. A variable n is set to the number of search results to be displayed to the user 19 and an upper limit UL for preferred countries 39 is set to the lesser of the number of search results 38, n, and twice n (block 151). The search results 38 are then ordered in an iterative processing loop (blocks 153-161) as follows. First, an index j is set to the upper limit

UL (block 152) and processing is performed while the index j is positive (block 153). The search results are maintained in an array Result[]. If Result [j] is associated with a preferred country Pref_Country (block 154), Result [j] is skipped. Otherwise, if Result [j] is not associated with a preferred country Pref_Country (block 154), Result [j] is demoted by the shifting factor 45, as follows. A variable target_pos is set to the lesser of twice j and upper limit UL (block 155) and a temporary variable, temp, is set to Result [j] (block 156). The remaining search results 38 are promoted by shifting Results [j+1] through Results [target_pos] up by one (block 157) and Result [target_pos] is set to temp (block 158). The upper limit UL is set to target_pos minus one (block 159). The index j is set to j minus one (block 160) and processing continues with the next loop iteration (block 161), after which the routine returns.

[0078] Ordering Search Results By A Weighting Factor

[0079] FIG. 10 is a flow diagram showing the routine 170 for ordering search results 38 by a weighting factor 46 for use in the routine 130 of FIG. 7. The purpose of this routine is to order the search results 38 by recalculating the numerical score 41 assigned to each search result 38 to favor those search results in either one of the preferred countries 39. On one embodiment, the routine operates on a subset less than or equal to the number of search results 38, which equals the number of search results 38 to be displayed to the user multiplied by a margin, for instance, 2 or 3, although other forms of subset selection criteria could be used, as would be recognized by one skilled in the art.

[0080] In the described embodiment, the numerical scores 41 increase with the quality of match. For example, a higher numerical score 41 reflects a better quality than lower numerical scores 41. Alternatively, a system may be employed whereby the numerical scores 41 could decrease with quality of match, as would be recognized by one skilled in the art. In the described embodiment, a weighting factor 47 is used to increase the numerical score 41 of each search result 38 in one of the preferred countries 39. For search results 38 in one of the preferred countries 39, a weighting factor W_{LP} is provided by the equation (1):

$$w_{LP} = \left\{ \forall s_{1-n}: s_i = \frac{s_i + 1}{2} \right\} \quad (1)$$

[0081] The weighting factor is most suitable when numerical scores 41 range between 0.0 and 1.0 and are approximately uniformly distributed. Other ranges of numerical scores and forms of weighting factors could be employed as well, as would be recognized by one skilled in the art.

[0082] The routine operates on a subset less than or equal to the total number of search results 38 and recalculates the numerical scores 41 through an iterative processing loop (blocks 172-177) as follows. A variable n is set to the number of search results to be multiplied by a margin, for instance 2 or 3 (block 171). The search results 38 are maintained in an array Results[]. The numerical score 41 for each search result 38 is recalculated in the iterative processing loop (blocks 172-177) indexed by a variable i. During each iteration (block 172), if Result [i] is associated with a preferred country Pref_Country (block 173), Score [i] is set

to half the quantity Score[i] plus one (block 174), that is, Equation (1). Otherwise, if Result [i] is not associated with a preferred country, no numerical score adjustment is required and Result [i] is skipped. Processing continues with the next iteration (block 175). After all iterations, the search results 38 are resorted (block 176), after which the routine returns.

[0083] While the invention has been particularly shown and described as referenced to the embodiments thereof, those skilled in the art will understand that the foregoing and other changes in form and detail may be made therein without departing from the spirit and scope of the invention.

What is claimed is:

1. A system for ordering search results, comprising:
 - a country selector dynamically determining at least one preferred country applicable to search results generated responsive to a search executed on potentially retrievable information and provided in a plurality of search result countries; and
 - a search result orderer ordering at least some of the search results in consideration of the at least one preferred country.
2. A system according to claim 1, further comprising:
 - an interface characterizer determining the at least one preferred country using interface characteristics.
3. A system according to claim 2, wherein the interface characteristics comprise at least one country accepted by the user interface.
4. A system according to claim 1, further comprising:
 - an IP characterizer determining the at least one preferred country using IP characteristics.
5. A system according to claim 4, wherein the interface characteristics comprise a network address of a client application from which the search query was submitted.
6. A system according to claim 1, further comprising:
 - an indexer ranking the search results; and
 - the search result orderer ordering at least some of the search results relative to the at least one preferred country.
7. A system according to claim 6, further comprising at least one of:
 - the search result orderer demoting each such search result in a country other than the at least one preferred country and promoting each such search result in the at least one preferred country by at least one position; and
 - the search result orderer promoting each such search result in a country other than the at least one preferred country and demoting each such search result in the at least one preferred country by at least one position.
8. A system according to claim 1, further comprising:
 - a scorer assigning a numerical score to the search results; and
 - a search result orderer adjusting the numerical score of at least some of the search results in the at least one preferred country.

9. A system according to claim 8, further comprising at least one of:

- the search result orderer increasing the numerical score assigned to the search results in the at least one preferred country and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country; and

- the search result orderer decreasing the numerical score assigned to the search results in the at least one preferred country and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country

10. A system according to claim 8, further comprising:

- a country selector including one or more related, alternate and less preferred countries in the at least one preferred country; and

- the search result orderer adjusting the numerical score, comprising at least one of increasing the numerical score assigned to the search results in the one or more related, alternate and less preferred countries and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country, and decreasing the numerical score assigned to the search results in the one or more related, alternate and less preferred countries and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country.

11. A system according to claim 1, further comprising:

- the search result orderer sorting the at least some of the search results with adjusted numerical scores.

12. A method for ordering search results, comprising:

- dynamically determining at least one preferred country applicable to search results generated responsive to a search executed on potentially retrievable information and provided in a plurality of search result countries; and

- ordering at least some of the search results in consideration of the at least one preferred country.

13. A method according to claim 12, further comprising:

- determining the at least one preferred country using interface characteristics.

14. A method according to claim 13, wherein the interface characteristics comprise at least one country accepted by the user interface.

15. A method according to claim 12, further comprising:

- determining the at least one preferred country using IP characteristics.

16. A method according to claim 15, wherein the interface characteristics comprise a network address of a client application from which the search query was submitted.

17. A method according to claim 12, further comprising:

- ranking the search results; and

- ordering at least some of the search results relative to the at least one preferred country.

18. A method according to claim 17, further comprising at least one of:

- demoting each such search result in a country other than the at least one preferred country and promoting each

- such search result in the at least one preferred country by at least one position; and
- promoting each such search result in a country other than the at least one preferred country and demoting each such search result in the at least one preferred country by at least one position.
- 19.** A method according to claim 12, further comprising: assigning a numerical score to the search results; and adjusting the numerical score of at least some of the search results in the at least one preferred country.
- 20.** A method according to claim 19, further comprising at least one of:
- increasing the numerical score assigned to the search results in the at least one preferred country and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country; and
 - decreasing the numerical score assigned to the search results in the at least one preferred country and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country
- 21.** A method according to claim 19, further comprising: including one or more related, alternate and less preferred countries in the at least one preferred country; and adjusting the numerical score, comprising at least one of:
- increasing the numerical score assigned to the search results in the one or more related, alternate and less preferred countries and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country; and
 - decreasing the numerical score assigned to the search results in the one or more related, alternate and less preferred countries and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country.
- 22.** A method according to claim 12, further comprising: sorting the at least some of the search results with adjusted numerical scores.
- 23.** A computer-readable storage medium holding code for performing the method according to claim 12.
- 24.** An apparatus for ordering search results, comprising:
- means for dynamically determining at least one preferred country applicable to search results generated responsive to a search executed on potentially retrievable information and provided in a plurality of search result countries; and
 - means for ordering at least some of the search results in consideration of the at least one preferred country.
- 25.** A system for providing preferred country ordering of search results, comprising:
- a parser receiving a search query describing potentially retrievable information provided in a plurality of search result countries;
 - an indexer executing a search by evaluating the search query against information characteristics maintained in a searchable data repository; and
 - a country promoter dynamically determining at least one preferred country applicable to search results generated responsive to the executed search, and ordering at least some of the search results in consideration of the at least one preferred country.
- 26.** A system according to claim 25, further comprising: a user interface characterizer determining a country accepted by a user interface; and a country selector selecting the country as the at least one preferred country.
- 27.** A system according to claim 25, further comprising: an Internet Protocol (IP) characterizer determining a country based on a network address of a client application from which the search query was submitted; and a country selector selecting the country as the at least one preferred country.
- 28.** A system according to claim 25, further comprising: a search result orderer ordering the search results based on a match of a country of such search results to the at least one preferred country.
- 29.** A system according to claim 25, further comprising: a search result orderer ordering the search results by degree of match of a country of such search results to the at least one preferred country.
- 30.** A system according to claim 29, further comprising: the search result orderer demoting the search results in a country other than the at least one preferred country by a predefined shifting factor.
- 31.** A system according to claim 30, wherein the predefined factor substantially equals two (2.0).
- 32.** A system according to claim 29, further comprising: the search result orderer promoting the search results in a country other than the at least one preferred country by a predefined shifting factor.
- 33.** A system according to claim 25, further comprising: a scorer ordering each of the search results by degree of match to the information characteristics.
- 34.** A system according to claim 25, further comprising: a country detector detecting a country associated with at least one search result.
- 35.** A system according to claim 34, further comprising at least one of:
- a Uniform Resource Locator (URL) analyzer determining a URL extension for the at least one search result;
 - a domain registrar examiner examining a domain registrar address for the at least one search result and inferring the country from a business associated therewith;
 - a country inferrer inferring the country from at least one of the IP address of a Web server from which the search result was obtained, a search result document for the at least one search result, or other Web pages on a same Web site as the at least one search result; and
 - a hyperlink analyzer examining anchor text of hyperlinks to the search result document, text near the hyperlinks, or countries of the Web pages with hyperlinks to the search result document.

36. A system according to claim 25, wherein the search results are assigned a numerical score, further comprising:

a search result orderer increasing the numerical score assigned to at least some of the search results in the at least one preferred country.

37. A system according to claim 36, wherein the numerical score is adjusted in accordance with the formula:

$$s_i = \frac{s_i + 1}{2}$$

where s_i comprises the numerical score for each such search result i .

38. A system according to claim 36, wherein the search results are assigned a numerical score, further comprising:

a search result orderer decreasing the numerical score assigned to at least some of the search results in the at least one preferred country.

39. A system according to claim 25, further comprising:

a presenter presenting the search results.

40. A system according to claim 39, further comprising:

the presenter performing at least one of controlling enablement of presentation of at least some of the search results for each of the at least one preferred country, grouping together at least some of the search results for each of the at least one preferred country and arranging at least some of the search results for each of the at least one preferred country next to at least some of the search results for at least one country other than the at least one preferred countries prior to presentation to the user.

41. A system according to claim 25, further comprising:

a country selector including one or more related, alternate and less preferred countries in the at least one preferred country.

42. A method for providing preferred country ordering of search results, comprising:

receiving a search query describing potentially retrievable information provided in a plurality of search result countries;

executing a search by evaluating the search query against information characteristics maintained in a searchable data repository;

dynamically determining at least one preferred country applicable to search results generated responsive to the executed search; and

ordering at least some of the search results in consideration of the at least one preferred country.

43. A method according to claim 42, further comprising:

determining a country accepted by a user interface; and

selecting the country as the at least one preferred country.

44. A method according to claim 42, further comprising:

determining a country based on a network address of a client application from which the search query was submitted; and

selecting the country as the at least one preferred country.

45. A method according to claim 42, further comprising: ordering the search results based on a match of a country of such search results to the at least one preferred country.

46. A method according to claim 42, further comprising: ordering the search results by degree of match of a country of such search results to the at least one preferred country.

47. A method according to claim 46, further comprising: demoting the search results in a country other than the at least one preferred country by a predefined shifting factor.

48. A method according to claim 47, wherein the predefined factor substantially equals two (2.0).

49. A method according to claim 46, further comprising:

promoting the search results in a country other than the at least one preferred country by a predefined shifting factor.

50. A method according to claim 42, further comprising: ordering each of the search results by degree of match to the information characteristics.

51. A method according to claim 42, further comprising: detecting a country associated with at least one search result.

52. A method according to claim 51, further comprising at least one of:

determining a Uniform Resource Locator (URL) extension for the at least one search result;

examining a domain registrar address for the at least one search result and inferring the country from a business associated therewith;

inferring the country from at least one of the IP address of a Web server from which the search result was obtained, a search result document for the at least one search result, or other Web pages on a same Web site as the at least one search result; and

examining anchor text of hyperlinks to the search result document, text near the hyperlinks, or countries of the Web pages with hyperlinks to the search result document.

53. A method according to claim 42, wherein the search results are assigned a numerical score, further comprising:

increasing the numerical score assigned to at least some of the search results in the at least one preferred country.

54. A method according to claim 53, wherein the numerical score is adjusted in accordance with the formula:

$$s_i = \frac{s_i + 1}{2}$$

where s_i comprises the numerical score for each such search result i .

55. A method according to claim 53, wherein the search results are assigned a numerical score, further comprising:

decreasing the numerical score assigned to at least some of the search results in the at least one preferred country.

- 56.** A method according to claim 42, further comprising:
presenting the search results.
- 57.** A method according to claim 56, further comprising:
performing at least one of controlling enablement of presentation of at least some of the search results for each of the at least one preferred country, grouping together at least some of the search results for each of the at least one preferred country and arranging at least some of the search results for each of the at least one preferred country next to at least some of the search results for at least one country other than the at least one preferred countries prior to presentation to the user.
- 58.** A method according to claim 42, further comprising:
including one or more related, alternate and less preferred countries in the at least one preferred country.
- 59.** A computer-readable storage medium holding code for performing the method according to claim 42.
- 60.** An apparatus for providing preferred country ordering of search results, comprising:
means for receiving a search query describing potentially retrievable information provided in a plurality of search result countries;
means for executing a search by evaluating the search query against information characteristics maintained in a searchable data repository;
means for dynamically determining at least one preferred country applicable to search results generated responsive to the executed search; and
means for ordering at least some of the search results in consideration of the at least one preferred country.
- 61.** A system for dynamically determining country preferences and ordering of search results, comprising:
a parser receiving a search query request message and parsing at least one of terms and attributes from the search query request message to identify potentially retrievable Web content provided in a plurality of search result countries;
an indexer executing a search by evaluating the at least one of terms and attributes against information characteristics maintained in a searchable data repository and generating search results responsive to the executed search;
a country promoter determining at least one preferred country, comprising:
a country determiner evaluating characteristics of at least one of the user interface and the Internet Protocol (IP), and selecting the at least one preferred country based on the evaluated characteristics;
a country orderer ordering at least some of the search results in consideration of the at least one preferred country; and
a presenter presenting the search results as search result response messages.
- 62.** A system according to claim 61, wherein evaluating the user interface further comprises:
a user interface characterizer determining at least one country accepted by the user interface.
- 63.** A system according to claim 61, wherein evaluating the IP characteristics further comprises:
an Internet Protocol (IP) characterizer determining a network address of a client application from which the search query request message was submitted.
- 64.** A system according to claim 61, wherein the search results are generated in a ranked order, further comprising:
a search result orderer ordering at least some of the search results relative to the at least one preferred country by a predefined shifting factor, comprising at least one of demoting each such search result in a country other than the at least one preferred country by the predefined shifting factor and promoting each such search result in the at least one preferred country by at least one position, and promoting each such search result in a country other than the at least one preferred country by the predefined shifting factor and demoting each such search result in the at least one preferred country by at least one position.
- 65.** A system according to claim 64, further comprising:
the search result orderer adjusting the predefined shifting factor based on available context in the search query request message and the search results.
- 66.** A system according to claim 61, wherein the search results are generated in a ranked order by numerical score, further comprising:
a search result orderer adjusting the numerical score of at least some of the search results by a predetermined weighting factor comprising at least one of increasing the numerical score assigned to the search results in the at least one preferred country and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country, and decreasing the numerical score assigned to the search results in the at least one preferred country and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country.
- 67.** A system according to claim 66, further comprising:
the search result orderer adjusting the predefined weighting factor based on available context in the search query request message and the search results.
- 68.** A system according to claim 61, wherein the search query request message and each search result response message is HTTP-compliant.
- 69.** A method for dynamically determining country preferences and ordering of search results, comprising:
receiving a search query request message and parsing at least one of terms and attributes from the search query request message to identify potentially retrievable Web content provided in a plurality of search result countries;
executing a search by evaluating the at least one of terms and attributes against information characteristics maintained in a searchable data repository and generating search results responsive to the executed search;
determining at least one preferred country, comprising:
evaluating characteristics of at least one of the user interface and the Internet Protocol (IP); and

selecting the at least one preferred country based on the evaluated characteristics;

ordering at least some of the search results in consideration of the at least one preferred country; and

presenting the search results as search result response messages.

70. A method according to claim 69, wherein evaluating the user interface further comprises:

determining at least one country accepted by the user interface.

71. A method according to claim 69, wherein evaluating the IP characteristics further comprises:

determining a network address of a client application from which the search query request message was submitted.

72. A method according to claim 69, wherein the search results are generated in a ranked order, further comprising:

ordering at least some of the search results relative to the at least one preferred country by a predefined shifting factor, comprising at least one of:

demoting each such search result in a country other than the at least one preferred country by the predefined shifting factor and promoting each such search result in the at least one preferred country by at least one position; and

promoting each such search result in a country other than the at least one preferred country by the predefined shifting factor and demoting each such search result in the at least one preferred country by at least one position.

73. A method according to claim 72, further comprising:

adjusting the predefined shifting factor based on available context in the search query request message and the search results.

74. A method according to claim 69, wherein the search results are generated in a ranked order by numerical score, further comprising:

adjusting the numerical score of at least some of the search results by a predetermined weighting factor comprising at least one of:

increasing the numerical score assigned to the search results in the at least one preferred country and

maintaining the numerical score assigned to the search results in a country other than the at least one preferred country; and

decreasing the numerical score assigned to the search results in the at least one preferred country and maintaining the numerical score assigned to the search results in a country other than the at least one preferred country.

75. A method according to claim 74, further comprising:

adjusting the predefined weighting factor based on available context in the search query request message and the search results.

76. A method according to claim 69, wherein the search query request message and each search result response message is HTTP-compliant.

77. A computer-readable storage medium holding code for performing the method according to claim 69.

78. An apparatus for dynamically determining country preferences and ordering of search results, comprising:

means for dynamically determining country preferences and ordering of search results, comprising:

means for receiving a search query request message and parsing at least one of terms and attributes from the search query request message to identify potentially retrievable Web content provided in a plurality of search result countries;

means for executing a search by evaluating the at least one of terms and attributes against information characteristics maintained in a searchable data repository and generating search results responsive to the executed search;

means for determining at least one preferred country, comprising:

means for evaluating characteristics of at least one of the user interface and the Internet Protocol (IP); and

means for selecting the at least one preferred country based on the evaluated characteristics;

means for ordering at least some of the search results in consideration of the at least one preferred country; and

means for presenting the search results as search result response messages.

* * * * *